

SAP ABAP table /ISDFPS/ITOB {Distribution of Data for Functional Locations}

_ISDFPS_ITOB
MANDT [CLNT (3)]
BEGRU [CHAR (4)]
EQTYP [CHAR (1)]
EQART [CHAR (10)]
GEWEI [UNIT (3)]
WAERS [CUKY (5)]
ELIEF [CHAR (10)]
HERLD [CHAR (3)]
EQSNR [CHAR (18)]
KMATN [CHAR (18)]
MATNR [CHAR (18)]
WERK [CHAR (4)]
LAGER [CHAR (4)]
CHARGE [CHAR (10)]
KUNDE [CHAR (10)]
WARPL [CHAR (12)]
IMRC_POINT [CHAR (12)]
MGANR [CHAR (20)]
SPARTE [CHAR (2)]
IUID_TYPE [CHAR (10)]
EQUI_SRTYPE [CHAR (10)]
EQUI_SNTYPE [CHAR (2)]
IWERK [CHAR (4)]
SUBMT [CHAR (18)]
HEQUI [CHAR (18)]
INGRP [CHAR (3)]
KUND1 [CHAR (10)]
KUND2 [CHAR (10)]
KUND3 [CHAR (10)]
RBNR [CHAR (9)]
WKCTR [NUMC (8)]
SPRAS [LANG (1)]
MLANG [LANG (1)]
TPLKZ [CHAR (5)]
FLTYP [CHAR (1)]
TPLMA [CHAR (30)]
TRPNR [CHAR (30)]
IFLOT_SNTYPE [CHAR (2)]
ABCKZ [CHAR (1)]
SWERK [CHAR (4)]
STORT [CHAR (10)]
BEBER [CHAR (3)]
PPSID [NUMC (8)]
GSBER [CHAR (4)]
KOKRS [CHAR (4)]
KOSTL [CHAR (10)]
PROID [NUMC (8)]
BUKRS [CHAR (4)]
ANLNR [CHAR (12)]
ANLUN [CHAR (4)]
DAUFN [CHAR (12)]
AUFNR [CHAR (12)]
VKORG [CHAR (4)]
VTWEG [CHAR (2)]
SPART [CHAR (2)]
ADRNr [CHAR (10)]
VKBUR [CHAR (4)]
VKGRP [CHAR (3)]

/ISDFPS/ITOB-EQUI_SRTYPE = COCF_CU_SRTYPE-SRTYPE

0..N

COCF_CU_SRTYPE
<u>MANDT</u> [CLNT (3)]
<u>SRTYPE</u> [CHAR (10)]

/ISDFPS/ITOB-IUID_TYPE = TIUID_TYPE-IUID_TYPE

0..N

TIUID_TYPE
<u>IUID_TYPE</u> [CHAR (10)]

/ISDFPS/ITOB-EQUI_SNTYPE = TQ80-QMART

/ISDFPS/ITOB-IFLOT_SNTYPE = TQ80-QMART

0..N

0..N

TQ80
<u>MANDT</u> [CLNT (3)]
<u>QMART</u> [CHAR (2)]