

SAP ABAP table /ISDFPS/V_ADDR {Generated Table for View}

_ISDFPS_V_ADDR	
<u>MANDT</u>	[CLNT (3)]
<u>PLVAR</u>	[CHAR (2)]
<u>OTYPE</u>	[CHAR (2)]
<u>OBJID</u>	[NUMC (8)]
<u>SUBTY</u>	[CHAR (4)]
<u>ISTAT</u>	[CHAR (1)]
<u>BEGDA</u>	[DATS (8)]
<u>ENDDA</u>	[DATS (8)]
<u>VARYF</u>	[CHAR (10)]
<u>SEQNR</u>	[NUMC (3)]
<u>ADDRNUMBER</u>	[CHAR (10)]
<u>DATE_FROM</u>	[DATS (8)]
<u>NATION</u>	[CHAR (1)]
<u>NAME1</u>	[CHAR (40)]
<u>NAME2</u>	[CHAR (40)]
<u>NAME_TEXT</u>	[CHAR (50)]
<u>CITY1</u>	[CHAR (40)]
<u>POST_CODE1</u>	[CHAR (10)]
<u>STREET</u>	[CHAR (60)]
<u>HOUSE_NUM1</u>	[CHAR (10)]
<u>ADDR_GROUP</u>	[CHAR (4)]
<u>SORT1</u>	[CHAR (20)]
<u>SORT2</u>	[CHAR (20)]
<u>MC_NAME1</u>	[CHAR (25)]
<u>MC_CITY1</u>	[CHAR (25)]
<u>MC_STREET</u>	[CHAR (25)]
<u>K_BEGDA</u>	[DATS (8)]
<u>K_ENDDA</u>	[DATS (8)]
<u>K_LANGU</u>	[LANG (1)]
<u>K_SEQNR</u>	[NUMC (3)]
<u>K_ISTAT</u>	[CHAR (1)]

PLOGI	
<u>MANDT</u>	[CLNT (3)]
<u>PLVAR</u>	[CHAR (2)]
<u>OTYPE</u>	[CHAR (2)]
<u>OBJID</u>	[NUMC (8)]

T000	
<u>MANDT</u>	[CLNT (3)]

T002	
<u>SPRAS</u>	[LANG (1)]

T778O	
<u>MANDT</u>	[CLNT (3)]
<u>OTYPE</u>	[CHAR (2)]

T778P	
<u>MANDT</u>	[CLNT (3)]
<u>PLVAR</u>	[CHAR (2)]

T778S	
<u>MANDT</u>	[CLNT (3)]
<u>ISTAT</u>	[CHAR (1)]

TSAD7	
<u>ADDR_GROUP</u>	[CHAR (4)]

TSADV	
<u>NATION</u>	[CHAR (1)]

