

SAP ABAP table /ISDFPS/V_FORCE {Generated Table for View}

_ISDFPS_V_FORCE	
<u>MANDT</u>	[CLNT (3)]
<u>PLVAR</u>	[CHAR (2)]
<u>OBJID_M</u>	[NUMC (8)]
<u>PNGUID_M</u>	[RAW (16)]
<u>FORCEM_CNT_M</u>	[NUMC (6)]
<u>OBJNR_M</u>	[CHAR (22)]
<u>CASE_TYPE</u>	[CHAR (1)]
<u>MATQUAL</u>	[CHAR (5)]
<u>QUANT</u>	[NUMC (8)]
<u>ASSIGN_STAT_M</u>	[CHAR (5)]
<u>VALID_FROM_M</u>	[DATS (8)]
<u>VALID_TO_M</u>	[DATS (8)]
<u>PNGUID_P</u>	[RAW (16)]
<u>FORCEM_CNT_P</u>	[NUMC (6)]
<u>OBJNR_P</u>	[CHAR (22)]
<u>STOCK</u>	[CHAR (1)]
<u>ASSIGN_STAT_P</u>	[CHAR (5)]
<u>VALID_FROM_P</u>	[DATS (8)]
<u>VALID_TO_P</u>	[DATS (8)]

_ISDFPS_CCTYPE	
<u>MANDT</u>	[CLNT (3)]
<u>CASE_TYPE</u>	[CHAR (1)]

_ISDFPS_CMATQUAL	
<u>MANDT</u>	[CLNT (3)]
<u>OWNER_NATION</u>	[CHAR (3)]
<u>SERVICE_ID</u>	[CHAR (1)]
<u>MATQUAL</u>	[CHAR (5)]

ONR00	
<u>MANDT</u>	[CLNT (3)]
<u>OBJNR</u>	[CHAR (22)]

PLOGI	
<u>MANDT</u>	[CLNT (3)]
<u>PLVAR</u>	[CHAR (2)]
<u>OTYPE</u>	[CHAR (2)]
<u>OBJID</u>	[NUMC (8)]

PNODID	
<u>MANDT</u>	[CLNT (3)]
<u>PNGUID</u>	[RAW (16)]

T000	
<u>MANDT</u>	[CLNT (3)]

T778P	
<u>MANDT</u>	[CLNT (3)]
<u>PLVAR</u>	[CHAR (2)]

