

SAP ABAP table /SAPCND/GROUP_I_DATA {Permitted Condition Tables and Types for Condition Group}

_SAPCND_T681V
<u>KVEWE</u> [CHAR (2)]

_SAPCND_T681A
<u>KAPPL</u> [CHAR (3)]

_SAPCND_GROUP_I_DATA
<i>KAPPL</i> [CHAR (3)]
<i>KVEWE</i> [CHAR (2)]
<i>KOTABNR</i> [CHAR (8)]
<i>KSCHL</i> [CHAR (4)]

_SAPCND_T681
<u>KAPPL</u> [CHAR (3)]
<u>KVEWE</u> [CHAR (2)]
<u>KOTABNR</u> [CHAR (8)]
<u>AS4LOCAL</u> [CHAR (1)]

_SAPCND_T685
<u>MANDT</u> [CLNT (3)]
<u>KAPPL</u> [CHAR (3)]
<u>KVEWE</u> [CHAR (2)]
<u>KSCHL</u> [CHAR (4)]

/SAPCND/GROUP_I_DATA-KOTABNR = /SAPCND/T681-KVEWE 0..N

0..N

/SAPCND/GROUP_I_DATA-KSCHL = /SAPCND/T685-KSCHL

0..N

0..N