

SAP ABAP table /SAPCND/T682V_S {Permitted Combinations of Condition Types and Access Seq.}

_SAPCND_T681V
<u>KVEWE</u> [CHAR (2)]

_SAPCND_T681A
<u>KAPPL</u> [CHAR (3)]

_SAPCND_T682V_S
<u>MANDT</u> [CLNT (3)]
<u>KAPPL</u> [CHAR (3)]
<u>KVEWE</u> [CHAR (2)]
<u>KSCHL</u> [CHAR (4)]
<u>KOLNR</u> [NUMC (3)]

_SAPCND_T682I
<u>KAPPL</u> [CHAR (3)]
<u>KVEWE</u> [CHAR (2)]
<u>KOZGF</u> [CHAR (4)]
<u>KOLNR</u> [NUMC (3)]

_SAPCND_T685
<u>MANDT</u> [CLNT (3)]
<u>KAPPL</u> [CHAR (3)]
<u>KVEWE</u> [CHAR (2)]
<u>KSCHL</u> [CHAR (4)]

T000
<u>MANDT</u> [CLNT (3)]

/SAPCND/T682V_S-KOLNR = /SAPCND/T682I-KOZGF 0..N

0..N /SAPCND/T682V_S-KSCHL = /SAPCND/T685-KSCHL 0..N

0..N /SAPCND/T682V_S-MANDT = T000-MANDT 0..N

0..N