

SAP ABAP table /SAPSLC/CHD_LOAD_0125_S {GTS: Customs Shipment - Offices of Transit}

/SAPSLC/CHD_LOAD_0125_S-CUSDZS1 = BUT000-PARTNER

_SAPSLC_CHD_LOAD_0125_S
<i>CUSDZS1</i> [CHAR (10)]
<i>CUSDZS2</i> [CHAR (10)]
<i>CUSDZS3</i> [CHAR (10)]
<i>CUSDZS4</i> [CHAR (10)]
<i>CUSDZS5</i> [CHAR (10)]
<i>CUSDZS6</i> [CHAR (10)]
<i>CUSDZS7</i> [CHAR (10)]

/SAPSLC/CHD_LOAD_0125_S-CUSDZS2 = BUT000-PARTNER

/SAPSLC/CHD_LOAD_0125_S-CUSDZS3 = BUT000-PARTNER

/SAPSLC/CHD_LOAD_0125_S-CUSDZS4 = BUT000-PARTNER

/SAPSLC/CHD_LOAD_0125_S-CUSDZS5 = BUT000-PARTNER

/SAPSLC/CHD_LOAD_0125_S-CUSDZS6 = BUT000-PARTNER

/SAPSLC/CHD_LOAD_0125_S-CUSDZS7 = BUT000-PARTNER

BUT000
<i>CLIENT</i> [CLNT (3)]
<i>PARTNER</i> [CHAR (10)]