

SAP ABAP table /SAPSL/CUIT_S {GTS: Customs Document: Item - Data Part}

/SAPSLL/CUIT S-GUID_CUHD = /SAPSLL/CUHD-MANDT

_SAPSLI_CUHD
<u>MANDT</u> [CLNT (3)]
<u>GUID_CUHD</u> [RAW (16)]

_SAPSLL_PR
<u>MANDT</u> [CLNT (3)]
<u>GUID_PR</u> [RAW (16)]

_SAPSLT_TCOTSV
<u>MANDT</u> [CLNT (3)]
<u>ENDUSE</u> [CHAR (5)]

_SAPSLL_TLECI
<u>MANDT</u> [CLNT (3)]
<u>CUITA</u> [CHAR (6)]

T005
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]

T005S
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]
<u>BLAND</u> [CHAR (3)]

T006
<u>MANDT</u> [CLNT (3)]
<u>MSEHI</u> [UNIT (3)]

TCURC
<u>MANDT</u> [CLNT (3)]
<u>WAERS</u> [CUKY (5)]

USR02
<u>MANDT</u> [CLNT (3)]
<u>BNAME</u> [CHAR (12)]

_SAPSLI_CUIT_S
<i>GUID_CUHD</i> [RAW (16)]
<i>ERNAM</i> [CHAR (12)]
<i>AENAM</i> [CHAR (12)]
<i>CUITA</i> [CHAR (6)]
<i>CTYPL</i> [CHAR (3)]
<i>CTYDP</i> [CHAR (3)]
<i>CTYAR</i> [CHAR (3)]
<i>CTYIV</i> [CHAR (3)]
<i>CTYTR</i> [CHAR (3)]
<i>GUID_PR</i> [RAW (16)]
<i>PRBUM</i> [UNIT (3)]
<i>DOCUM</i> [UNIT (3)]
<i>CUCOO</i> [CHAR (3)]
<i>CUROO</i> [CHAR (3)]
<i>DOCUR</i> [CUKY (5)]
<i>NTCUR</i> [CUKY (5)]
<i>GRCUR</i> [CUKY (5)]
<i>TXCUR</i> [CUKY (5)]
<i>QUAUM</i> [UNIT (3)]
<i>INCOT</i> [CHAR (3)]
<i>EXART</i> [CHAR (2)]
<i>CCNGA</i> [CHAR (2)]
<i>PRCUR</i> [CUKY (5)]
<i>ZTERM</i> [CHAR (6)]
<i>ENDUSE</i> [CHAR (5)]

