

# SAP ABAP table /SAPSRM/C\_MDFSST {Metadata: Mapping Channel Logic Layer Structure to Set Type}

/SAPSRM/C\_MDFSST-METADATA\_TYPE = /SAPSRM/C\_MD\_TY-METADATA\_TYPE

0..N

<b>_SAPSRM_C_MD_TY</b>
<u>METADATA_TYPE</u> [CHAR (10)]

/SAPSRM/C\_MDFSST-SET\_TYPE = /SAPSRM/C\_SETTY-SET\_TYPE

0..N

<b>_SAPSRM_C_SETTY</b>
<u>SET_TYPE</u> [CHAR (5)]
<u>SET_TYPE_LONG</u> [CHAR (20)]

{0,1}

/SAPSRM/C\_MDFSST-BUS\_OBJ\_TYPE = BBPC\_SUBOB\_CAT-SUBOBJ\_CATEGORY

0..N

<b>BBPC_SUBOB_CAT</b>
<u>SUBOBJ_CATEGORY</u> [CHAR (10)]

<b>_SAPSRM_C_MDFSST</b>
<u>STRUCTURE</u> [CHAR (30)]
<u>SET_TYPE</u> [CHAR (5)]
<u>SET_KEY_FIELD</u> [CHAR (30)]
<u>PARENT_KEY_FIELD</u> [CHAR (30)]
<u>METADATA_TYPE</u> [CHAR (10)]
<u>BUS_OBJ_TYPE</u> [CHAR (10)]

1

0..N

{0,1}

{0,1}

{0,1}

/SAPSRM/C\_MDFSST-STRUCTURE = DD02T-TABNAME

0..N

<b>DD02T</b>
<u>TABNAME</u> [CHAR (30)]
<u>DDLANGUAGE</u> [LANG (1)]
<u>AS4LOCAL</u> [CHAR (1)]
<u>AS4VERS</u> [NUMC (4)]

/SAPSRM/C\_MDFSST-PARENT\_KEY\_FIELD = DD03L-FIELDNAME

/SAPSRM/C\_MDFSST-SET\_KEY\_FIELD = DD03L-FIELDNAME

0..N

0..N

<b>DD03L</b>
<u>TABNAME</u> [CHAR (30)]
<u>FIELDNAME</u> [CHAR (30)]
<u>AS4LOCAL</u> [CHAR (1)]
<u>AS4VERS</u> [NUMC (4)]
<u>POSITION</u> [NUMC (4)]