

SAP ABAP table /SAPTRX/VEXT_PAR {Generated Table for View}

_SAPTRX_VEXT_PAR
<u>CLIENT</u> [CLNT (3)]
<u>TRK_OBJ_TYPE</u> [CHAR (20)]
<u>AOTYPE</u> [CHAR (20)]
<u>PARAMNAME</u> [CHAR (32)]
<u>EXTRACTION_FIELD</u> [CHAR (20)]

_SAPTRX_AOTYPES
<u>CLIENT</u> [CLNT (3)]
<u>TRK_OBJ_TYPE</u> [CHAR (20)]
<u>AOTYPE</u> [CHAR (20)]

_SAPTRX_EXT_FLD
<u>CLIENT</u> [CLNT (3)]
<u>TRK_OBJ_TYPE</u> [CHAR (20)]
<u>EXTRACTION_FIELD</u> [CHAR (20)]

_SAPTRX_MTOTYPE
<u>CLIENT</u> [CLNT (3)]
<u>TRK_OBJ_TYPE</u> [CHAR (20)]

/SAPTRX/VEXT_PAR-AOTYPE = /SAPTRX/AOTYPES-AOTYPE

0..N

0..N

/SAPTRX/VEXT_PAR-EXTRACTION_FIELD = /SAPTRX/EXT_FLD-EXTRACTION_FIELD

0..N

/SAPTRX/VEXT_PAR-TRK_OBJ_TYPE = /SAPTRX/MTOTYPE-TRK_OBJ_TYPE

0..N

0..N

0..N