

SAP ABAP table /TDAG/CPV_REP005 {Generated Table for View}

/TDAG/CPV_REP005-REPNO = /TDAG/CPC_REP001-REPNO

0..N

_TDAG_CPC_REP001
<u>CLIENT</u> [CLNT (3)]
REPNO [NUMC (2)]

/TDAG/CPV_REP005-ELEMENTID = /TDAG/CPC_REP003-ELEMENTID

0..N

_TDAG_CPC_REP003
<u>CLIENT</u> [CLNT (3)]
REPNO [NUMC (2)]
ELEMENTID [NUMC (6)]

/TDAG/CPV_REP005-CLIENT = T000-MANDT

0..N

T000
<u>MANDT</u> [CLNT (3)]

/TDAG/CPV_REP005-LANGU = T002-SPRAS

0..N

T002
<u>SPRAS</u> [LANG (1)]

/TDAG/CPV_REP005-ESTCAT = TCG11-ESTCAT

0..N

TCG11
<u>MANDT</u> [CLNT (3)]
ESTCAT [CHAR (30)]

/TDAG/CPV_REP005-IDCAT = TCG21-IDTYPE

0..N

TCG21
<u>IDTYPE</u> [CHAR (10)]

/TDAG/CPV_REP005-IDTYPE = TCG23-IDCAT

0..N

TCG23
<u>MANDT</u> [CLNT (3)]
<u>IDTYPE</u> [CHAR (10)]
<u>IDCAT</u> [CHAR (10)]

/TDAG/CPV_REP005-TEXTCAT = TCG41-TEXTCAT

0..N

TCG41
<u>MANDT</u> [CLNT (3)]
<u>TEXTCAT</u> [CHAR (10)]

/TDAG/CPV_REP005-CONVERT_FUNC = TFDIR-FUNCNAME

0..N

TFDIR
<u>FUNCNAME</u> [CHAR (30)]

/TDAG/CPV_REP005-EXIT_FUNC = TFDIR-FUNCNAME

0..N

_TDAG_CPV_REP005
<u>CLIENT</u> [CLNT (3)]
REPNO [NUMC (2)]
<u>ELEMENTID</u> [NUMC (6)]
ATTRIBUTE [CHAR (30)]
IDCAT [CHAR (10)]
IDTYPE [CHAR (10)]
LANGU [LANG (1)]
ESTCAT [CHAR (30)]
TEXTCAT [CHAR (10)]
CONVERT_FUNC [CHAR (30)]
EXIT_FUNC [CHAR (30)]

1

1

1

1

1

1

1

1

1

1

