

SAP ABAP table AVIAJRECORD {Change Document Structure - Adjustment Record (VIAJRECORD)}

| VICAPROCESSID                 |
|-------------------------------|
| <u>MANDT</u> [CLNT (3)]       |
| <u>PROCESSGUID</u> [RAW (16)] |
| <u>VERSION</u> [CHAR (3)]     |

| TIVAJRULE                   |
|-----------------------------|
| <u>MANDT</u> [CLNT (3)]     |
| <u>ADJMRULE</u> [CHAR (10)] |

| AVIAJRECORD                        |
|------------------------------------|
| <i>PROCESSGUID</i> [RAW (16)]      |
| <i>ADJMRULE</i> [CHAR (10)]        |
| <i>ADJMSUBRULE</i> [CHAR (10)]     |
| <i>ADJMSUBMETH</i> [CHAR (4)]      |
| <i>ADJMRULEDEFAULT</i> [CHAR (10)] |
| <i>ADJMREASON</i> [CHAR (10)]      |
| <i>CHGREASON</i> [CHAR (10)]       |
| <i>CARRYOVERCT</i> [CHAR (4)]      |
| <i>CONDPURPOSENEW</i> [CHAR (4)]   |
| <i>CONDTYPENEW</i> [CHAR (4)]      |

AVIAJRECORD-ADJMSUBMETH = TIVAJMETH-ADJMMETH

0..N

| TIVAJMETH                  |
|----------------------------|
| <u>ADJMMETH</u> [CHAR (4)] |

AVIAJRECORD-ADJMREASON = TIVAJREASON-ADJMREASON

0..N

| TIVAJREASON                   |
|-------------------------------|
| <u>MANDT</u> [CLNT (3)]       |
| <u>ADJMMETH</u> [CHAR (4)]    |
| <u>ADJMREASON</u> [CHAR (10)] |

AVIAJRECORD-CHGREASON = TIVCDCHGREAS-CHGREASON

0..N

| TIVCDCHGREAS                 |
|------------------------------|
| <u>MANDT</u> [CLNT (3)]      |
| <u>CONDTYPE</u> [CHAR (4)]   |
| <u>CHGREASON</u> [CHAR (10)] |

AVIAJRECORD-CARRYOVERCT = TIVCDCONDTYPE-CONDTYPE

AVIAJRECORD-CONDTYPENEW = TIVCDCONDTYPE-CONDTYPE

0..N

0..N

| TIVCDCONDTYPE              |
|----------------------------|
| <u>MANDT</u> [CLNT (3)]    |
| <u>CONDTYPE</u> [CHAR (4)] |

AVIAJRECORD-CONDPURPOSENEW = TIVCDCOPUEXT-CONDPURPOSEEXT

0..N

| TIVCDCOPUEXT                     |
|----------------------------------|
| <u>MANDT</u> [CLNT (3)]          |
| <u>CONDPURPOSEEXT</u> [CHAR (4)] |