

SAP ABAP table BEFS_NAVI_FLAT_DATA {BE Framework Navigator - Data (Without Ranges)}

BEFM_SUBSCR
<u>SUBSCRIPTION</u> [CHAR (10)]

BEFM_SRVUSE
<u>SRVUSE</u> [CHAR (7)]

BEFM_SERVICE
<u>SERVICE</u> [CHAR (3)]

BEFM_SELGROUP
<u>SELGROUP</u> [CHAR (3)]

BEFM_OBJ
<u>OBJ</u> [CHAR (3)]

BEFM_INDEX
<u>INDEXID</u> [CHAR (3)]

BEFM_FEATURE
<u>FEATURE</u> [CHAR (10)]

BEFM_EVENTS
<u>EVENT</u> [CHAR (8)]

BEFM_CONTAINER
<u>CONTAINER</u> [CHAR (4)]

BEFS_NAVI_FLAT_DATA
<i>APPLCLASS</i> [CHAR (2)]
<i>APPL</i> [CHAR (4)]
<i>OBJ</i> [CHAR (3)]
<i>CONTAINER</i> [CHAR (4)]
<i>FEATURE</i> [CHAR (10)]
<i>EVENT</i> [CHAR (8)]
<i>SUBSCRIPTION</i> [CHAR (10)]
<i>SERVICE</i> [CHAR (3)]
<i>SRVUSE</i> [CHAR (7)]
<i>INDEXID</i> [CHAR (3)]
<i>SELGROUP</i> [CHAR (3)]

BEFM_APPL
<u>APPL</u> [CHAR (4)]

BEFM_APPLCLASS
<u>APPLCLASS</u> [CHAR (2)]

