

# SAP ABAP table BIW\_S\_NAST {BIW: Message Status for SLA}

BIW\_S\_NAST-MANDT = T000-MANDT

0..N

<b>T000</b>
<u>MANDT</u> [CLNT (3)]

BIW\_S\_NAST-SPRAS = T002-SPRAS

0..N

<b>T002</b>
<u>SPRAS</u> [LANG (1)]

BIW\_S\_NAST-TDSPRAS = T002-SPRAS

0..N

<b>T005</b>
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]

BIW\_S\_NAST-TLAND = T005-LAND1

0..N

<b>TCSTR</b>
<u>MANDT</u> [CLNT (3)]
<u>STRATEGY</u> [CHAR (4)]

BIW\_S\_NAST-TCODE = TCSTR-STRATEGY

0..N

BIW\_S\_NAST-PFLD5 = TFDIR-FUNCNAME

0..N

<b>TFDIR</b>
<u>FUNCNAME</u> [CHAR (30)]

BIW\_S\_NAST-OBJTYPE = TOJTB-NAME

0..N

<b>TOJTB</b>
<u>NAME</u> [CHAR (10)]

BIW\_S\_NAST-LDEST = TSP03-PADEST

0..N

<b>TSP03</b>
<u>PADEST</u> [CHAR (4)]

BIW\_S\_NAST-TDID = TTXID-TDID

0..N

<b>TTXID</b>
<u>TDOBJECT</u> [CHAR (10)]
<u>TDID</u> [CHAR (4)]

<b>BIW_S_NAST</b>
<u>MANDT</u> [CLNT (3)]
<u>SPRAS</u> [LANG (1)]
<u>TCODE</u> [CHAR (4)]
<u>LDEST</u> [CHAR (4)]
<u>PFLD5</u> [CHAR (30)]
<u>TDID</u> [CHAR (4)]
<u>TDSPRAS</u> [LANG (1)]
<u>OBJTYPE</u> [CHAR (10)]
<u>TLAND</u> [CHAR (3)]

1 1

1

0..N

0..N

0..N

0..N

0..N{0,1}

0..N