

SAP ABAP table BSS_BPIL_CATEGORY_PERSON {Data for BP of category Person}

BSS_BPIL_CATEGORY_PERSON-CORRESPONDLANGUAGE = T002-SPRAS

0..N

T002
<u>SPRAS</u> [LANG (1)]

BSS_BPIL_CATEGORY_PERSON-NAMCOUNTRY = T005-LAND1

0..N

T005
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]

BSS_BPIL_CATEGORY_PERSON-NAMEFORMAT = T005N-NAMEFORMAT

0..N

T005N
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]
<u>NAMEFORMAT</u> [CHAR (2)]

BSS_BPIL_CATEGORY_PERSON-MARITALSTATUS = TB027-MARST

0..N

TB027
<u>CLIENT</u> [CLNT (3)]
<u>MARST</u> [CHAR (1)]

BSS_BPIL_CATEGORY_PERSON-TITLE_ACA1 = TSAD2-TITLE_KEY

0..N

TSAD2
<u>CLIENT</u> [CLNT (3)]
<u>TITLE_KEY</u> [CHAR (4)]

BSS_BPIL_CATEGORY_PERSON-TITLE_ACA2 = TSAD2-TITLE_KEY

0..N

BSS_BPIL_CATEGORY_PERSON-PREFIX1 = TSAD4-PREFIX_KEY

0..N

TSAD4
<u>CLIENT</u> [CLNT (3)]
<u>PREFIX_KEY</u> [CHAR (4)]

BSS_BPIL_CATEGORY_PERSON-PREFIX2 = TSAD4-PREFIX_KEY

0..N

BSS_BPIL_CATEGORY_PERSON-TITLE_SPPL = TSAD5-TITLE_KEY

0..N

TSAD5
<u>CLIENT</u> [CLNT (3)]
<u>TITLE_KEY</u> [CHAR (4)]

BSS_BPIL_CATEGORY_PERSON
<i>TITLE_ACA1</i> [CHAR (4)]
<i>TITLE_ACA2</i> [CHAR (4)]
<i>TITLE_SPPL</i> [CHAR (4)]
<i>PREFIX1</i> [CHAR (4)]
<i>PREFIX2</i> [CHAR (4)]
<i>NAMEFORMAT</i> [CHAR (2)]
<i>NAMCOUNTRY</i> [CHAR (3)]
<i>MARITALSTATUS</i> [CHAR (1)]
<i>CORRESPONDLANGUAGE</i> [LANG (1)]

{0,1}

{0,1}

{0,1}

1

0..N

0..N

0..N

0..N

0..N