SAP ABAP table COMT_BSP_BP_SEARES_AMSEARCH {Search Result of all Business Partners (Employees Too)}

COMT_BSP_BP_SEARES_AMSEARCH

- *CITY_CODE* [CHAR (12)]
- *CITYP_CODE* [CHAR (8)]
- *CITYH_CODE* [CHAR (12)]
- *REGIOGROUP* [CHAR (8)]
- *DONT_USE_P* [CHAR (4)]
- *CITY_CODE2* [CHAR (12)]
- *PO_BOX_REG* [CHAR (3)]
- *PO_BOX_CTY* [CHAR (3)]
- *TRANSPZONE* [CHAR (10)]
- *DONT_USE_S* [CHAR (4)]
- *STREETCODE* [CHAR (12)]
- *STREETABBR* [CHAR (2)]
- *COUNTRY* [CHAR (3)]
- *LANGU* [LANG (1)]
- *REGION* [CHAR (3)]
- *ADDRORIGIN* [CHAR (4)]
- *TIME_ZONE* [CHAR (6)]
- *LANGU_CREA* [LANG (1)]
- *DELI_SERV_TYPE* [CHAR (4)]
- *COUNTY_CODE* [CHAR (8)]
- *TOWNSHIP_CODE* [CHAR (8)]
- *PARTNER_ROLE* [CHAR (6)]
- *PARTNERTYPE* [CHAR (4)]
- *PARTNERLANGUAGE* [LANG (1)]
- *DATAORIGINTYPE* [CHAR (4)]
- *TITLE_KEY* [CHAR (4)]
- *TITLE_ACA1* [CHAR (4)]
- *TITLE_ACA2* [CHAR (4)]
- *TITLE_SPPL* [CHAR (4)]
- *PREFIX1* [CHAR (4)]
- *PREFIX2* [CHAR (4)]
- *NAMEFORMAT* [CHAR (2)]
- *NAMCOUNTRY* [CHAR (3)]
- *MARITALSTATUS* [CHAR (1)]
- *CORRESPONDLANGUAGE* [LANG (1)]
- *LEGALFORM* [CHAR (2)]
- *INDUSTRYSECTOR* [CHAR (10)]
- *GROUPTYPE* [CHAR (4)]

COMT_BSP_BP_SEARES_AMSEARCH-DELI_SERV_TYPE = ADDRC_DELI_SERV-DELI_SERV_TYPE — 0..N

ADDRC_DELI_SERV
- *CLIENT* [CLNT (3)]
- DELI_SERV_TYPE [CHAR (4)]

COMT_BSP_BP_SEARES_AMSEARCH-CITYH_CODE = ADRCITY-CITY_CODE — 0..N

COMT_BSP_BP_SEARES_AMSEARCH-CITY_CODE = ADRCITY-CITY_CODE — 0..N

COMT_BSP_BP_SEARES_AMSEARCH-CITY_CODE2 = ADRCITY-CITY_CODE — 0..N

ADRCITY
- *CLIENT* [CLNT (3)]
- *COUNTRY* [CHAR (3)]
- CITY_CODE [CHAR (12)]

COMT_BSP_BP_SEARES_AMSEARCH-CITYP_CODE = ADRCITYPRT-CITYP_CODE — 0..N

ADRCITYPRT
- *CLIENT* [CLNT (3)]
- *COUNTRY* [CHAR (3)]
- *CITY_CODE* [CHAR (12)]
- CITYP_CODE [CHAR (8)]

COMT_BSP_BP_SEARES_AMSEARCH-COUNTY_CODE = ADRCOUNTY-COUNTY_CODE — 0..N

ADRCOUNTY
- *CLIENT* [CLNT (3)]
- *COUNTRY* [CHAR (3)]
- *REGION* [CHAR (3)]
- COUNTY_CODE [CHAR (8)]

COMT_BSP_BP_SEARES_AMSEARCH-REGIOGROUP = ADRREGGRP-REGIOGROUP — 0..N

ADRREGGRP
- *CLIENT* [CLNT (3)]
- REGIOGROUP [CHAR (8)]

COMT_BSP_BP_SEARES_AMSEARCH-STREETCODE = ADRSTREET-STRT_CODE — 0..N

ADRSTREET
- *CLIENT* [CLNT (3)]
- *COUNTRY* [CHAR (3)]
- STRT_CODE [CHAR (12)]

COMT_BSP_BP_SEARES_AMSEARCH-STREETABBR = ADRSTRTYPE-STRTYPEAB — 0..N

ADRSTRTYPE
- *CLIENT* [CLNT (3)]
- *COUNTRY* [CHAR (3)]
- STRTYPEAB [CHAR (2)]

COMT_BSP_BP_SEARES_AMSEARCH-TOWNSHIP_CODE = ADRTOWNSHIP-TOWNSHIP_CODE — 0..N

ADRTOWNSHIP
- *CLIENT* [CLNT (3)]
- *COUNTRY* [CHAR (3)]
- *REGION* [CHAR (3)]
- *COUNTY_CODE* [CHAR (8)]
- TOWNSHIP_CODE [CHAR (8)]

COMT_BSP_BP_SEARES_AMSEARCH-CORRESPONDLANGUAGE = T002-SPRAS — {0,1}

COMT_BSP_BP_SEARES_AMSEARCH-LANGU = T002-SPRAS — {0,1} — 0..N

COMT_BSP_BP_SEARES_AMSEARCH-LANGU_CREA = T002-SPRAS — 1 — 0..N

COMT_BSP_BP_SEARES_AMSEARCH-PARTNERLANGUAGE = T002-SPRAS — 0..N

T002
- SPRAS [LANG (1)]

COMT_BSP_BP_SEARES_AMSEARCH-COUNTRY = T005-LAND1 — {0,1} — 0..N

COMT_BSP_BP_SEARES_AMSEARCH-NAMCOUNTRY = T005-LAND1 — 1 — 0..N

COMT_BSP_BP_SEARES_AMSEARCH-PO_BOX_CTY = T005-LAND1 — 1 — 0..N

T005
- *MANDT* [CLNT (3)]
- LAND1 [CHAR (3)]

COMT_BSP_BP_SEARES_AMSEARCH-NAMEFORMAT = T005N-NAMEFORMAT — {0,1} — 0..N

T005N
- *MANDT* [CLNT (3)]
- *LAND1* [CHAR (3)]
- NAMEFORMAT [CHAR (2)]

COMT_BSP_BP_SEARES_AMSEARCH-PO_BOX_REG = T005S-BLAND — {0,1} — 0..N

COMT_BSP_BP_SEARES_AMSEARCH-REGION = T005S-BLAND — {0,1} — 0..N

T005S
- *MANDT* [CLNT (3)]
- *LAND1* [CHAR (3)]
- BLAND [CHAR (3)]

COMT_BSP_BP_SEARES_AMSEARCH-PARTNERTYPE = TB004-BPKIND — 1 — 0..N

TB004
- *CLIENT* [CLNT (3)]
- BPKIND [CHAR (4)]

COMT_BSP_BP_SEARES_AMSEARCH-DATAORIGINTYPE = TB005-SOURCE — 1 — 0..N

TB005
- *CLIENT* [CLNT (3)]
- SOURCE [CHAR (4)]

COMT_BSP_BP_SEARES_AMSEARCH-LEGALFORM = TB019-LEGAL_ENTY — 1 — 0..N

TB019
- *CLIENT* [CLNT (3)]
- LEGAL_ENTY [CHAR (2)]

COMT_BSP_BP_SEARES_AMSEARCH-INDUSTRYSECTOR = TB023-IND_SECTOR — 1 — 0..N

TB023
- *CLIENT* [CLNT (3)]
- IND_SECTOR [CHAR (10)]

COMT_BSP_BP_SEARES_AMSEARCH-GROUPTYPE = TB025-PARTGRPTYP — 1 — 0..N

TB025
- *CLIENT* [CLNT (3)]
- PARTGRPTYP [CHAR (4)]

COMT_BSP_BP_SEARES_AMSEARCH-MARITALSTATUS = TB027-MARST — 1 — 0..N

TB027
- *CLIENT* [CLNT (3)]
- MARST [CHAR (1)]

COMT_BSP_BP_SEARES_AMSEARCH-PARTNER_ROLE = TBZ0-RLTYP — 1 — 0..N

TBZ0
- *CLIENT* [CLNT (3)]
- *OBJAP* [CHAR (4)]
- RLTYP [CHAR (6)]

COMT_BSP_BP_SEARES_AMSEARCH-DONT_USE_P = TSAD12-UNDELIVER — 1 — 0..N

COMT_BSP_BP_SEARES_AMSEARCH-DONT_USE_S = TSAD12-UNDELIVER — 1 — 0..N

TSAD12
- *CLIENT* [CLNT (3)]
- UNDELIVER [CHAR (4)]

COMT_BSP_BP_SEARES_AMSEARCH-TITLE_ACA1 = TSAD2-TITLE_KEY — 1 — 0..N

COMT_BSP_BP_SEARES_AMSEARCH-TITLE_ACA2 = TSAD2-TITLE_KEY — 1 — 0..N

TSAD2
- *CLIENT* [CLNT (3)]
- TITLE_KEY [CHAR (4)]

COMT_BSP_BP_SEARES_AMSEARCH-TITLE_KEY = TSAD3-TITLE — 1 — 0..N

TSAD3
- *CLIENT* [CLNT (3)]
- TITLE [CHAR (4)]

COMT_BSP_BP_SEARES_AMSEARCH-PREFIX1 = TSAD4-PREFIX_KEY — 1 — 0..N

COMT_BSP_BP_SEARES_AMSEARCH-PREFIX2 = TSAD4-PREFIX_KEY — 1 — 0..N

TSAD4
- *CLIENT* [CLNT (3)]
- PREFIX_KEY [CHAR (4)]

COMT_BSP_BP_SEARES_AMSEARCH-TITLE_SPPL = TSAD5-TITLE_KEY — 1 — 0..N

TSAD5
- *CLIENT* [CLNT (3)]
- TITLE_KEY [CHAR (4)]

COMT_BSP_BP_SEARES_AMSEARCH-ADDRORIGIN = TSAD6-ORIGIN — 1 — 0..N

TSAD6
- *CLIENT* [CLNT (3)]
- ORIGIN [CHAR (4)]

COMT_BSP_BP_SEARES_AMSEARCH-TIME_ZONE = TTZZ-TZONE — 1 — 0..N

TTZZ
- *CLIENT* [CLNT (3)]
- TZONE [CHAR (6)]

COMT_BSP_BP_SEARES_AMSEARCH-TRANSPZONE = TZONE-ZONE1 — 1 — 0..N

TZONE
- *MANDT* [CLNT (3)]
- *LAND1* [CHAR (3)]
- ZONE1 [CHAR (10)]