SAP ABAP table COMT_PARTNER_AS_BUFFER {Buffer Structure for Access Sequences}

COMT PARTNER AS BUFFER-ORIGIN = COMC PARTNER DOR-ORIGIN COMC_PARTNER_DOR **CRMC PARTNER PFT** ORIGIN [CHAR (16)] PARTNER PFT [CHAR (4)] CRMC_PARTNER_AD COMT_PARTNER_AS_BUFFER COMT PARTNER AS BUFFER-ACCESS SEQUENCE = CRMC PARTNER AD-ACCESS SEQUENCE CLIENT [CLNT (3)] ACCESS SEQUENCE [CHAR (4)] ACCESS SEQUENCE [CHAR (4)] ORIGIN [CHAR (16)] COMT PARTNER AS BUFFER-ORIGIN FCT = CRMC PARTNER FCT-PARTNER FCT PARTNER FCT [CHAR (8)] CRMC_PARTNER_FCT PARTNER_PFT [CHAR (4)] $\bar{0}..N$ COMT PARTNER AS BUFFER-PARTNER FCT = CRMC PARTNER FCT-PARTNER FCT CLIENT [CLNT (3)] $0.\overline{N}$ $0.\overline{N}$ COMT_PARTNER_AS_BUFFER-ORIGIN_PFT_SUB = CRMC_PARTNER_PS-PFT_SUBTYPE PFT_SUBTYPE [CHAR (4)] PARTNER FCT [CHAR (8)] BP FUNCTION [CHAR (4)] ORIGIN FCT [CHAR (8)] **CRMC PARTNER PS** ORIGIN_PFT [CHAR (4)] COMT PARTNER AS BUFFER-PFT SUBTYPE = CRMC PARTNER PS-PFT SUBTYPE $0..ar{
m N}$ PFT SUBTYPE [CHAR (4)] ORIGIN_PFT_SUB [CHAR (4)] 0..NCOMT PARTNER AS BUFFER-BP FUNCTION = TB912-PAFKT **TB912** CLIENT [CLNT (3)] PAFKT [CHAR (4)]