SAP ABAP table CRMD_IPM_RCTRL_I {Rights Control Data: Database Table}

CRMD_IPM_RCTRL_I-DT_PROFILE = CRMC_IPM_DTPRFL-DT_PROFILE

CRMC_IPM_DTPRFL

CLIENT [CLNT (3)]
DT_PROFILE [CHAR (12)]

CRMD_IPM_RCTRL_I-EXCLUSIVITY_TYPE = CRMC_IPM_EXCL-EXCLUSIVITY_TYPE

CRMC_IPM_EXCL

CLIENT [CLNT (3)]
EXCLUSIVITY_TYPE [CHAR (20)]

CRMD_IPM_RCTRL_I-IPMAT_LANGUAGE = CRMC_IPM_LANGU-IP_LANGU

CRMC_IPM_LANGU

CLIENT [CLNT (3)]
IP_LANGU [CHAR (10)]

CRMD_IPM_RCTRL_I

CLIENT [CLNT (3)]
GUID [RAW (16)]
EXCLUSIVITY_TYPE [CHAR (20)]
DT_PROFILE [CHAR (12)]
PRIC_PROC [CHAR (6)]
IPMAT_TYPE_SHIP [CHAR (10)]
IPMAT_STANDARD [CHAR (10)]
IPMAT_FORMAT [CHAR (10)]
IPMAT_LANGUAGE [CHAR (10)]
IPMAT_SHIP_FROM [CHAR (14)]
IPMAT_SHIP_METH [CHAR (10)]

CRMD_IPM_RCTRL_I-IPMAT_FORMAT = CRMC_IPM_MATFO-IPMAT_FORMAT

CRMC_IPM_MATFO

CLIENT [CLNT (3)]
IPMAT_FORMAT [CHAR (10)]

CRMD_IPM_RCTRL_I-IPMAT_STANDARD = CRMC_IPM_MATST-IPMAT_STANDARD

CRMD_IPM_RCTRL_I-IPMAT_SHIP_FROM = CRMC_IPM_SHPFR-SHIP_FROM

CRMC_IPM_MATST

CLIENT [CLNT (3)]
IPMAT_STANDARD [CHAR (10)]

CRMD_IPM_RCTRL_I-IPMAT_SHIP_METH = CRMC_IPM_SHPME-IPMAT_METHOD

CRMC_IPM_SHPFR

CLIENT [CLNT (3)]
SHIP_FROM [CHAR (14)]

CRMC_IPM_SHPME

CLIENT [CLNT (3)]
IPMAT_METHOD [CHAR (10)]

CRMD_IPM_RCTRL_I-IPMAT_TYPE_SHIP = CRMC_IPM_SHPTY-IPMAT_SHIPTYPE

CRMC_IPM_SHPTY

CLIENT [CLNT (3)]
IPMAT_SHIPTYPE [CHAR (10)]

CRMD_IPM_RCTRL_I-PRIC_PROC = PRCC_COND_PPD-KAPPL

PRCC_COND_PPD

MANDT [CLNT (3)]
KAPPL [CHAR (3)]
KALSM [CHAR (6)]

1

0..N

0..N

0..N

1   1

0..N

0..N

0..N

0..N

0..N

0..N

0..N   1

0..N