## SAP ABAP table CRMD\_TM\_SCR\_HIST {CRM: Telemarketing Scripting History HEAD}

CRMD\_TM\_SCR\_HIST-NODEGUID = CRMD\_TM\_NODE-CLIENT

CLIENT [CLNT (3)]

GUID [RAW (16)]

## CRMD\_TM\_SCR\_HIST

CLIENT [CLNT (3)]

**GUID** [RAW (16)]

**SCRIPTHEADGUID** [RAW (16)]

OPTGUID [RAW (16)]

TREEGUID [RAW (16)]

NODEGUID [RAW (16)]

0..N CRMD\_TM\_SCR\_HIST-OPTGUID = CRMD\_TM\_OPTION\_T-CLIENT

 $\frac{N}{N}$  CRMD\_TM\_SCR\_HIST-SCRIPTHEADGUID = CRMD\_TM\_SCR\_HEAD-CLIENT

 $CRMD_TM_SCR_HIST-TREEGUID = CRMD_TM_TREE-CLIENT$ 

CRMD\_TM\_OPTION\_T

CLIENT [CLNT (3)]

<u>GUID</u> [RAW (16)]

SPRAS [LANG (1)]

CRMD\_TM\_SCR\_HEAD

 $0..\overline{N}$  | CLIENT [CLNT (3)]

**GUID** [RAW (16)]

CRMD\_TM\_TREE

CLIENT [CLNT (3)]

<u>GUID</u> [RAW (16)]

 $0.\overline{N}$