SAP ABAP table CRMST_OPPORTH_BTIL {Bus. Trans. IL Attribute Structure for OPPORTH Extension}

CRMC_CYCLE

CLIENT [CLNT (3)]
SALESCYCLE [CHAR (5)]

CRMST_OPPORTH_BTIL-SALESCYCLE = CRMC_CYCLE-SALESCYCLE

0..N

CRMC_OPPIMPOR

CLIENT [CLNT (3)]
IMPORTANCE [CHAR (1)]

CRMST_OPPORTH_BTIL-IMPORTANCE = CRMC_OPPIMPOR-IMPORTANCE

0..N

CRMST_OPPORTH_BTIL

CURR_PHASE [CHAR (3)]
SOURCE [CHAR (3)]
IMPORTANCE [CHAR (1)]
SALESCYCLE [CHAR (5)]
TYPE [CHAR (4)]
ASSISTANT_PHASE [CHAR (3)]

0..N

CRMC_OPPT_TYPE

CLIENT [CLNT (3)]
TYPE [CHAR (4)]

CRMST_OPPORTH_BTIL-TYPE = CRMC_OPPT_TYPE-TYPE

0..N

0..N

CRMST_OPPORTH_BTIL-ASSISTANT_PHASE = CRMC_PHASE-PHASE

0..N

CRMC_PHASE

CLIENT [CLNT (3)]
PHASE [CHAR (3)]

CRMST_OPPORTH_BTIL-CURR_PHASE = CRMC_PHASE-PHASE

0..N

0..N

0..N

CRMST_OPPORTH_BTIL-SOURCE = CRMC_SOURCE-SOURCE

CRMC_SOURCE

CLIENT [CLNT (3)]
SOURCE [CHAR (3)]

0..N