

SAP ABAP table CRMT_0100_SERVICE_REQUEST_IAC1 {CRM: Service Req. Screen Struct. 0100 Simple Trans.(Rel.1.2)}

CRMT 0100 SERVICE REQUEST IAC1-ADDR NO = ADRC-ADDRNUMBER

ADRC
<u>CLIENT</u> [CLNT (3)]
<u>ADDRNUMBER</u> [CHAR (10)]
<u>DATE_FROM</u> [DATS (8)]
<u>NATION</u> [CHAR (1)]

CRMT 0100 SERVICE REQUEST IAC1-CITY NO = ADRCITY-CITY CODE

ADRCITY
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>CITY_CODE</u> [CHAR (12)]

CRMT 0100 SERVICE REQUEST IAC1-PBOXCIT NO = ADRCITY-CITY CODE

ADRCITYPRT
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>CITY_CODE</u> [CHAR (12)]
<u>CITY_CODE</u> [CHAR (8)]

CRMT 0100 SERVICE REQUEST IAC1-DISTRCT NO = ADRCITYPRT-CITYP_CODE

ADRREGGRP
<u>CLIENT</u> [CLNT (3)]
<u>REGIOGROUP</u> [CHAR (8)]

CRMT_0100_SERVICE_REQUEST_IAC1-REGIOGROUP = ADRREGGRP-REGIOGROUP

ADRSTREET
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>STRT_CODE</u> [CHAR (12)]

CRMT 0100 SERVICE REQUEST IAC1-STREET NO = ADRSTREET-STRT CODE

ADRSTRTYPE
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>STRYPEAB</u> [CHAR (2)]

CRMT 0100 SERVICE REQUEST IAC1-STR ABBR = ADRSTRTYPE-STRTYPEAB

CRMC_ACT_CATEGOR
<u>CLIENT</u> [CLNT (3)]
<u>CATEGORY</u> [CHAR (3)]

CRMT_0100_SERVICE_REQUEST_IAC1-CATEGORY = CRMC_ACT_CATEGOR-CATEGORY

CRMC_ACT_OBJ
<u>CLIENT</u> [CLNT (3)]
<u>OBJECTIVE</u> [CHAR (3)]

CRMT 0100 SERVICE REQUEST IAC1-OBJECTIVE = CRMC ACT OBJ-OBJECTIVE

SCPrio
<u>CLIENT</u> [CLNT (3)]
<u>PRIORITY</u> [NUMC (1)]

CRMT 0100 SERVICE REQUEST IAC1-LANGU = T002-SPRAS

T002
<u>SPRAS</u> [LANG (1)]

CRMT_0100_SERVICE_REQUEST_IAC1-COUNTRY = T005-LAND1

T005
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]

CRMT_0100_SERVICE_REQUEST_IAC1-REGION = T005S-BLAND

T005S
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]
<u>BLAND</u> [CHAR (3)]

CRMT 0100 SERVICE REQUEST IAC1-COMM TYPE = TSAC-COMM TYPE

TSAC
<u>COMM_TYPE</u> [CHAR (3)]

CRMT 0100 SERVICE REQUEST IAC1-DONT USE P = TSAD12-UNDELIVER

TSAD12
<u>CLIENT</u> [CLNT (3)]
<u>UNDELIVER</u> [CHAR (4)]

CRMT_0100_SERVICE_REQUEST_IAC1-DONT_USE_S = TSAD12-UNDELIVER

CRMT_0100 SERVICE_REQUEST_IAC1-TIME_ZONE = TTZZ-TZONE

TTZZ
<u>CLIENT</u> [CLNT (3)]
<u>TZONE</u> [CHAR (6)]

CRMT 0100 SERVICE REQUEST IAC1-TRANSPZONE = TZONE-ZONE1

TZONE
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]
<u>ZONE1</u> [CHAR (10)]

CRMT_0100_SERVICE_REQUEST_IAC1
CATEGORY [CHAR (3)]
PRIORITY [NUMC (1)]
OBJECTIVE [CHAR (3)]
ADDR_NO [CHAR (10)]
CITY_NO [CHAR (12)]
STREET_NO [CHAR (12)]
STR_ABBR [CHAR (2)]
COUNTRY [CHAR (3)]
LANGU [LANG (1)]
REGION [CHAR (3)]
TIME_ZONE [CHAR (6)]
COMM_TYPE [CHAR (3)]
DISTRCT_NO [CHAR (8)]
PBOXCIT_NO [CHAR (12)]
TRANSPZONE [CHAR (10)]
REGIOGROUP [CHAR (8)]
DONT_USE_S [CHAR (4)]
DONT_USE_P [CHAR (4)]