

SAP ABAP table CRMT_BRF_TBRF110_EVPAR {Screen Structure Event Maint.: Event Header + Parameter Key}

CRMT_BRF_TBRF110_EVPAR-CONTROLLER_CLASS = SEOCLASS-CLSNAME

0..N

SEOCLASS	
CLSNAME	[CHAR (30)]

STXL

MANDT	[CLNT (3)]
RELID	[CHAR (2)]
TDOBJECT	[CHAR (10)]
TDNAME	[CHAR (70)]
TDID	[CHAR (4)]
TDSPRAS	[LANG (1)]
SRTE2	[INT1 (3)]

0..N

CRMT_BRF_TBRF110_EVPAR-TDNAME = STXL-TDNAME

T000

MANDT	[CLNT (3)]
-------	------------

0..N

CRMT_BRF_TBRF110_EVPAR-CLIENT = T000-MANDT

TBRF100

CLIENT	[CLNT (3)]
IMPORT_STATUS	[CHAR (1)]
APPLCLASS	[CHAR (30)]

0..N

CRMT_BRF_TBRF110_EVPAR-APPLCLASS = TBRF100-APPLCLASS

TBRF110

CLIENT	[CLNT (3)]
IMPORT_STATUS	[CHAR (1)]
APPLCLASS	[CHAR (30)]
EVENT	[CHAR (20)]
VERSION	[NUMC (4)]

0..N

CRMT_BRF_TBRF110_EVPAR-EVENT = TBRF110-APPLCLASS

TBRF180

CLIENT	[CLNT (3)]
IMPORT_STATUS	[CHAR (1)]
APPLCLASS	[CHAR (30)]
CLASS_ID	[CHAR (20)]
VERSION	[NUMC (4)]

0..N

CRMT_BRF_TBRF110_EVPAR-CLASS_ID = TBRF180-CLASS_ID

TBRF230

CLIENT	[CLNT (3)]
APPLCLASS	[CHAR (30)]
OBJ_GROUP	[CHAR (20)]

0..N

CRMT_BRF_TBRF110_EVPAR-TCONTEXT = TBRF360-TCONTEXT

TBRF360

CLIENT	[CLNT (3)]
IMPORT_STATUS	[CHAR (1)]
APPLCLASS	[CHAR (30)]
TCONTEXT	[CHAR (20)]
VERSION	[NUMC (4)]

0..N

CRMT_BRF_TBRF110_EVPAR-CHANGED_BY = USR02-BNAME

USR02

MANDT	[CLNT (3)]
BNAME	[CHAR (12)]

0..N

CRMT_BRF_TBRF110_EVPAR-CREATED_BY = USR02-BNAME

0..N

CRMT_BRF_TBRF110_EVPAR	
CLIENT	[CLNT (3)]
APPLCLASS	[CHAR (30)]
EVENT	[CHAR (20)]
CLASS_ID	[CHAR (20)]
CREATED_BY	[CHAR (12)]
CHANGED_BY	[CHAR (12)]
OBJ_GROUP	[CHAR (20)]
TDNAME	[CHAR (70)]
CONTROLLER_CLASS	[CHAR (30)]
TCONTEXT	[CHAR (20)]

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N