

SAP ABAP table CRMT_BSP_PARTNER_ADR_KEY {Partner Including Address Key for BSP Application}

CRMT_BSP_PARTNER_ADR_KEY
PERS_NO [CHAR (10)]
ADDR_NO [CHAR (10)]
NAMEFORMAT [CHAR (2)]
NAMCOUNTRY [CHAR (3)]
LANGU_P [LANG (1)]
COMM_TYPE [CHAR (3)]
CITY_NO [CHAR (12)]
DISTRCT_NO [CHAR (8)]
PBOXCIT_NO [CHAR (12)]
TRANSPZONE [CHAR (10)]
STREET_NO [CHAR (12)]
STR_ABBR [CHAR (2)]
COUNTRY [CHAR (3)]
LANGU [LANG (1)]
REGION [CHAR (3)]
TIME_ZONE [CHAR (6)]

CRMT_BSP_PARTNER_ADR_KEY-ADDR_NO = ADRC-ADDRNUMBER

0..N

ADRC
<u>CLIENT</u> [CLNT (3)]
<u>ADDRNUMBER</u> [CHAR (10)]
<u>DATE_FROM</u> [DATS (8)]
<u>NATION</u> [CHAR (1)]

CRMT_BSP_PARTNER_ADR_KEY-CITY_NO = ADRCITY-CITY_CODE

0..N

ADRCITY
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>CITY_CODE</u> [CHAR (12)]

CRMT_BSP_PARTNER_ADR_KEY-PBOXCIT_NO = ADRCITY-CITY_CODE

0..N

ADRCITYPRT
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>CITY_CODE</u> [CHAR (12)]
<u>CITYP_CODE</u> [CHAR (8)]

CRMT_BSP_PARTNER_ADR_KEY-DISTRCT_NO = ADRCITYPRT-CITYP_CODE

0..N

ADRP
<u>CLIENT</u> [CLNT (3)]
<u>PERSNUMBER</u> [CHAR (10)]
<u>DATE_FROM</u> [DATS (8)]
<u>NATION</u> [CHAR (1)]

CRMT_BSP_PARTNER_ADR_KEY-PERS_NO = ADRP-PERSNUMBER

0..N

ADRSTREET
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>STRT_CODE</u> [CHAR (12)]

CRMT_BSP_PARTNER_ADR_KEY-STREET_NO = ADRSTREET-STRT_CODE

0..N

ADRSTRTYPE
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>STRTYPEAB</u> [CHAR (2)]

CRMT_BSP_PARTNER_ADR_KEY-STR_ABBR = ADRSTRTYPE-STRTYPEAB

0..N

T002
<u>SPRAS</u> [LANG (1)]

CRMT_BSP_PARTNER_ADR_KEY-LANGU = T002-SPRAS

0..N

0..N

CRMT_BSP_PARTNER_ADR_KEY-LANGU_P = T002-SPRAS

0..N

0..N

CRMT_BSP_PARTNER_ADR_KEY-COUNTRY = T005-LAND1

0..N

T005
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]

CRMT_BSP_PARTNER_ADR_KEY-NAMCOUNTRY = T005-LAND1

0..N

0..N

T005N
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]
<u>NAMEFORMAT</u> [CHAR (2)]

CRMT_BSP_PARTNER_ADR_KEY-NAMEFORMAT = T005N-NAMEFORMAT

0..N

0..N

CRMT_BSP_PARTNER_ADR_KEY-REGION = T005S-BLAND

0..N

T005S
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]
<u>BLAND</u> [CHAR (3)]

CRMT_BSP_PARTNER_ADR_KEY-COMM_TYPE = TSAC-COMM_TYPE

0..N

TSAC
<u>COMM_TYPE</u> [CHAR (3)]

0..N

CRMT_BSP_PARTNER_ADR_KEY-TIME_ZONE = TTZZ-TZONE

0..N

TTZZ
<u>CLIENT</u> [CLNT (3)]
<u>TZONE</u> [CHAR (6)]

CRMT_BSP_PARTNER_ADR_KEY-TRANSPZONE = TZONE-ZONE1

0..N

TZONE
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]
<u>ZONE1</u> [CHAR (10)]