

SAP ABAP table CRMT_BUS_CENTRAL_AND_PERSON {Structure for Business Partner Data for Type 'Person'}

CRMT_BUS_CENTRAL_AND_PERSON-CORRESPONDLANGUAGE = T002-SPRAS

T002
<u>SPRAS</u> [LANG (1)]

CRMT_BUS_CENTRAL_AND_PERSON-PARTNERLANGUAGE = T002-SPRAS

0..N

T005
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]

CRMT_BUS_CENTRAL_AND_PERSON-NAMCOUNTRY = T005-LAND1

0..N

CRMT_BUS_CENTRAL_AND_PERSON-NAMEFORMAT = T005N-NAMEFORMAT

0..N

T005N
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]
<u>NAMEFORMAT</u> [CHAR (2)]

CRMT_BUS_CENTRAL_AND_PERSON-PARTNERTYPE = TB004-BPKIND

0..N

TB004
<u>CLIENT</u> [CLNT (3)]
<u>BPKIND</u> [CHAR (4)]

CRMT_BUS_CENTRAL_AND_PERSON-DATAORIGINTYPE = TB005-SOURCE

0..N

TB005
<u>CLIENT</u> [CLNT (3)]
<u>SOURCE</u> [CHAR (4)]

CRMT_BUS_CENTRAL_AND_PERSON-MARITALSTATUS = TB027-MARST

0..N

TB027
<u>CLIENT</u> [CLNT (3)]
<u>MARST</u> [CHAR (1)]

CRMT_BUS_CENTRAL_AND_PERSON-TITLE_ACA1 = TSAD2-TITLE_KEY

0..N

TSAD2
<u>CLIENT</u> [CLNT (3)]
<u>TITLE_KEY</u> [CHAR (4)]

CRMT_BUS_CENTRAL_AND_PERSON-TITLE_ACA2 = TSAD2-TITLE_KEY

0..N

CRMT_BUS_CENTRAL_AND_PERSON-TITLE_KEY = TSAD3-TITLE

0..N

TSAD3
<u>CLIENT</u> [CLNT (3)]
<u>TITLE</u> [CHAR (4)]

CRMT_BUS_CENTRAL_AND_PERSON-PREFIX1 = TSAD4-PREFIX_KEY

0..N

TSAD4
<u>CLIENT</u> [CLNT (3)]
<u>PREFIX_KEY</u> [CHAR (4)]

CRMT_BUS_CENTRAL_AND_PERSON-PREFIX2 = TSAD4-PREFIX_KEY

0..N

CRMT_BUS_CENTRAL_AND_PERSON-TITLE_SPPL = TSAD5-TITLE_KEY

0..N

TSAD5
<u>CLIENT</u> [CLNT (3)]
<u>TITLE_KEY</u> [CHAR (4)]

CRMT_BUS_CENTRAL_AND_PERSON
<u>PARTNERTYPE</u> [CHAR (4)]
<u>PARTNERLANGUAGE</u> [LANG (1)]
<u>DATAORIGINTYPE</u> [CHAR (4)]
<u>TITLE_KEY</u> [CHAR (4)]
<u>TITLE_ACA1</u> [CHAR (4)]
<u>TITLE_ACA2</u> [CHAR (4)]
<u>TITLE_SPPL</u> [CHAR (4)]
<u>PREFIX1</u> [CHAR (4)]
<u>PREFIX2</u> [CHAR (4)]
<u>NAMEFORMAT</u> [CHAR (2)]
<u>NAMCOUNTRY</u> [CHAR (3)]
<u>MARITALSTATUS</u> [CHAR (1)]
<u>CORRESPONDLANGUAGE</u> [LANG (1)]

{0,1} 1 {0,1} {0,1}

0..N 0..N 0..N

