SAP ABAP table CRMT IPM RCTRL I DB WRK {Rights Control Data: Work Structure Database Buffer} CRMT\_IPM\_RCTRL\_I\_DB\_WRK-DT\_PROFILE = CRMC IPM DTPRFL-DT PROFILE CRMC\_IPM\_DTPRFL CLIENT [CLNT (3)] DT\_PROFILE [CHAR (12)] CRMT IPM RCTRL I DB WRK-EXCLUSIVITY TYPE = CRMC IPM EXCL-EXCLUSIVITY TYPE CRMC\_IPM\_EXCL  $0..\bar{N}$ CLIENT [CLNT (3)] EXCLUSIVITY\_TYPE [CHAR (20)] CRMC\_IPM\_LANGU CRMT\_IPM\_RCTRL\_I\_DB\_WRK-IPMAT\_LANGUAGE = CRMC\_IPM\_LANGU-IP\_LANGU CLIENT [CLNT (3)]  $\bar{0}..\bar{N}$ IP\_LANGU [CHAR (10)] CRMC\_IPM\_MATFO CRMT\_IPM\_RCTRL\_I\_DB\_WRK CLIENT [CLNT (3)] CRMT\_IPM\_RCTRL\_I\_DB\_WRK-IPMAT\_FORMAT = CRMC\_IPM\_MATFO-IPMAT\_FORMAT EXCLUSIVITY\_TYPE [CHAR (20)] 0..N $0.\overline{N}$ IPMAT FORMAT [CHAR (10)] DT\_PROFILE [CHAR (12)] PRIC\_PROC [CHAR (6)] CRMC\_IPM\_MATST IPMAT\_TYPE\_SHIP [CHAR (10)]  $\overline{0}..N$ CRMT IPM RCTRL I DB WRK-IPMAT STANDARD = CRMC IPM MATST-IPMAT STANDARD CLIENT [CLNT (3)]  $\bar{0}..\bar{N}$  $\bar{0}..\bar{N}$ CRMT\_IPM\_RCTRL\_I\_DB\_WRK-IPMAT\_SHIP\_FROM = CRMC\_IPM\_SHPFR-SHIP\_FROM IPMAT STANDARD [CHAR (10)] 0..NIPMAT\_STANDARD [CHAR (10)] IPMAT\_FORMAT [CHAR (10)] IPMAT\_LANGUAGE [CHAR (10)] CRMC\_IPM\_SHPFR IPMAT\_SHIP\_FROM [CHAR (14)] 0.N CRMT\_IPM\_RCTRL\_I\_DB\_WRK-IPMAT\_SHIP\_METH = CRMC\_IPM\_SHPME-IPMAT\_METHOD  $0..ar{
m N}$ CLIENT [CLNT (3)] IPMAT\_SHIP\_METH [CHAR (10)] SHIP\_FROM [CHAR (14)] 0..NCRMC\_IPM\_SHPME CLIENT [CLNT (3)]  $\bar{0}..\bar{N}$  ${\tt CRMT\_IPM\_RCTRL\_I\_DB\_WRK-IPMAT\_TYPE\_SHIP} = {\tt CRMC\_IPM\_SHPTY-IPMAT\_SHIPTYPE}$ IPMAT\_METHOD [CHAR (10)] CRMC\_IPM\_SHPTY CLIENT [CLNT (3)] IPMAT\_SHIPTYPE [CHAR (10)]  $CRMT\_IPM\_RCTRL\_I\_DB\_WRK-PRIC\_PROC = PRCC\_COND\_PPD-KAPPL$ PRCC\_COND\_PPD MANDT [CLNT (3)] KAPPL [CHAR (3)] - 0..N KALSM [CHAR (6)]