SAP ABAP table CRMT_PARTNER_AS_BUFFER {Buffer Structure for Access Sequences}

CRMT_PARTNER_AS_BUFFER-ORIGIN = COMC_PARTNER_DOR-ORIGIN

CRMC_PARTNER_PFT

PARTNER_PFT [CHAR (4)]

COMC_PARTNER_DOR

0..N

ORIGIN [CHAR (16)]

CRMT_PARTNER_AS_BUFFER

ACCESS_SEQUENCE [CHAR (4)]

ORIGIN [CHAR (16)]

PARTNER_FCT [CHAR (8)]

PARTNER_PFT [CHAR (4)]

PFT_SUBTYPE [CHAR (4)]

BP_FUNCTION [CHAR (4)]

ORIGIN_FCT [CHAR (8)]

ORIGIN_PFT [CHAR (4)]

ORIGIN_PFT_SUB [CHAR (4)]

1   CRMT_PARTNER_AS_BUFFER-ACCESS_SEQUENCE = CRMC_PARTNER_AD-ACCESS_SEQUENCE

CRMC_PARTNER_AD

0..N

CLIENT [CLNT (3)]

ACCESS_SEQUENCE [CHAR (4)]

1   CRMT_PARTNER_AS_BUFFER-ORIGIN_FCT = CRMC_PARTNER_FCT-PARTNER_FCT

0..N   CRMT_PARTNER_AS_BUFFER-PARTNER_FCT = CRMC_PARTNER_FCT-PARTNER_FCT

0..N   CRMT_PARTNER_AS_BUFFER-ORIGIN_PFT_SUB = CRMC_PARTNER_PS-PFT_SUBTYPE

0..N

CRMC_PARTNER_FCT

0..N

CLIENT [CLNT (3)]

PARTNER_FCT [CHAR (8)]

0..N   CRMT_PARTNER_AS_BUFFER-PFT_SUBTYPE = CRMC_PARTNER_PS-PFT_SUBTYPE

CRMC_PARTNER_PS

0..N

PFT_SUBTYPE [CHAR (4)]

0..N

0..N   CRMT_PARTNER_AS_BUFFER-BP_FUNCTION = TB912-PAFKT

TB912

CLIENT [CLNT (3)]

0..N   PAFKT [CHAR (4)]