

SAP ABAP table CRMT_PARTNER_SELECTION_I_VALUE {Information Fields for Partner Selection}

CRMT_PARTNER_SELECTION_I_VALUE
TITLE [CHAR (4)]
CITY_CODE [CHAR (12)]
CITYP_CODE [CHAR (8)]
CITYH_CODE [CHAR (12)]
REGIOGROUP [CHAR (8)]
DONT_USE_P [CHAR (4)]
CITY_CODE2 [CHAR (12)]
PO_BOX_REG [CHAR (3)]
PO_BOX_CTY [CHAR (3)]
TRANSPZONE [CHAR (10)]
DONT_USE_S [CHAR (4)]
STREETCODE [CHAR (12)]
STREETABBR [CHAR (2)]
COUNTRY [CHAR (3)]
LANGU [LANG (1)]
REGION [CHAR (3)]
ADDRORIGIN [CHAR (4)]
TIME_ZONE [CHAR (6)]
LANGU_CREA [LANG (1)]
DELI_SERV_TYPE [CHAR (4)]
COUNTY_CODE [CHAR (8)]
TOWNSHIP_CODE [CHAR (8)]
DEFLT_COMM [CHAR (3)]

CRMT_PARTNER_SELECTION_I_VALUE-DELI_SERV_TYPE = ADDRCDELI_SERV-DELI_SERV_TYPE

ADDRCDELI_SERV
<u>CLIENT</u> [CLNT (3)]
DELI_SERV_TYPE [CHAR (4)]

CRMT_PARTNER_SELECTION_I_VALUE-CITYH_CODE = ADRCITY-CITY_CODE

ADRCITY
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>CITY_CODE</u> [CHAR (12)]

CRMT_PARTNER_SELECTION_I_VALUE-CITY_CODE = ADRCITY-CITY_CODE

0..N
0..N
ADRCITYPRT
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>CITY_CODE</u> [CHAR (12)]
CITYP_CODE [CHAR (8)]

CRMT_PARTNER_SELECTION_I_VALUE-CITY_CODE2 = ADRCITY-CITY_CODE

CRMT_PARTNER_SELECTION_I_VALUE-CITYP_CODE = ADRCITYPRT-CITYP_CODE

0..N
0..N
ADRCITYPRT
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>CITY_CODE</u> [CHAR (12)]
CITYP_CODE [CHAR (8)]

CRMT_PARTNER_SELECTION_I_VALUE-COUNTY_CODE = ADRCOUNTY-COUNTY_CODE

0..N
0..N
ADRCOUNTY
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>REGION</u> [CHAR (3)]
<u>COUNTY_CODE</u> [CHAR (8)]

CRMT_PARTNER_SELECTION_I_VALUE-REGIOGROUP = ADREGGRP-REGIOGROUP

0..N
0..N
ADREGGRP
<u>CLIENT</u> [CLNT (3)]
REGIOGROUP [CHAR (8)]

CRMT_PARTNER_SELECTION_I_VALUE-STREETCODE = ADDRSTREET-STRT_CODE

0..N
0..N
ADDRSTREET
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>STRT_CODE</u> [CHAR (12)]

CRMT_PARTNER_SELECTION_I_VALUE-STREETABBR = ADDRSTRTYPE-STRTYPEAB

0..N
0..N
ADDRSTRTYPE
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
STRTYPEAB [CHAR (2)]

CRMT_PARTNER_SELECTION_I_VALUE-TOWNSHIP_CODE = ADRTOWNSHIP-TOWNSHIP_CODE

0..N
0..N
ADRTOWNSHIP
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>REGION</u> [CHAR (3)]
<u>COUNTY_CODE</u> [CHAR (8)]
<u>TOWNSHIP_CODE</u> [CHAR (8)]

CRMT PARTNER SELECTION I VALUE-LANGU = T002-SPRAS

0..N
0..N
T002
SPRAS [LANG (1)]

CRMT_PARTNER_SELECTION_I VALUE-LANGU_CREA = T002-SPRAS

CRMT_PARTNER_SELECTION_I VALUE-COUNTRY = T005-LAND1

0..N
0..N
T005
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]

CRMT_PARTNER_SELECTION_I VALUE-PO_BOX_CTY = T005-LAND1

CRMT_PARTNER_SELECTION_I VALUE-PO_BOX_REG = T005S-BLAND

0..N
0..N
T005S
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]
BLAND [CHAR (3)]

CRMT_PARTNER_SELECTION_I VALUE-REGION = T005S-BLAND

CRMT_PARTNER_SELECTION_I VALUE-DEFLT_COMM = TSAC-COMM_TYPE

0..N
0..N
TSAC
COMM_TYPE [CHAR (3)]

CRMT_PARTNER_SELECTION_I VALUE-DONT_USE_P = TSAD12-UNDELIVER

0..N
0..N
TSAD12
<u>CLIENT</u> [CLNT (3)]
UNDELIVER [CHAR (4)]

CRMT_PARTNER_SELECTION_I VALUE-DONT_USE_S = TSAD12-UNDELIVER

CRMT_PARTNER_SELECTION_I VALUE-TITLE = TSAD3-TITLE

0..N
0..N
TSAD3
<u>CLIENT</u> [CLNT (3)]
<u>TITLE</u> [CHAR (4)]

CRMT_PARTNER_SELECTION_I VALUE-ADDRORIGIN = TSAD6-ORIGIN

0..N
0..N
TSAD6
<u>CLIENT</u> [CLNT (3)]
ORIGIN [CHAR (4)]

CRMT_PARTNER_SELECTION_I VALUE-TIME_ZONE = TTZZ-TZONE

0..N
0..N
TTZZ
<u>CLIENT</u> [CLNT (3)]
TZONE [CHAR (6)]

CRMT_PARTNER_SELECTION_I VALUE-TRANSPZONE = TZONE-ZONE1

0..N
0..N
TZONE
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]
<u>ZONE1</u> [CHAR (10)]