

SAP ABAP table CRMT\_SHIPPING\_DB\_WRK {Shipping Set: Workarea for Database Buffer}

| CRMT_SHIPPING_DB_WRK         |
|------------------------------|
| <i>INCOTERMS1</i> [CHAR (3)] |
| <i>SHIP_COND</i> [CHAR (2)]  |
| <i>DLV_PRIO</i> [NUMC (2)]   |

{0,1}

CRMT\_SHIPPING\_DB\_WRK-INCOTERMS1 = CRMC\_INCOTERM-INCOTERMS1

{0,1}

CRMT\_SHIPPING\_DB\_WRK-SHIP\_COND = CRMC\_SHIP\_COND-SHIP\_COND

{0,1}

CRMT\_SHIPPING\_DB\_WRK-DLV\_PRIO = CRMC\_DLV\_PRIO-DLV\_PRIO

0..N

**CRMC\_DLV\_PRIO**

CLIENT [CLNT (3)]

DLV\_PRIO [NUMC (2)]

**CRMC\_INCOTERM**

CLIENT [CLNT (3)]

INCOTERMS1 [CHAR (3)]

**CRMC\_SHIP\_COND**

CLIENT [CLNT (3)]

SHIP\_COND [CHAR (2)]

0..N