

SAP ABAP table CRMV_GPM_NODE_BW {Generated Table for View}

CRMV_GPM_NODE_BW
<u>CLIENT</u> [CLNT (3)]
<u>GUID</u> [RAW (16)]
PROG_TYPE [CHAR (4)]
BUS_AGR_CL [CHAR (10)]
AUTH_GROUP [CHAR (4)]
ACTION_PROFILE [CHAR (30)]

CRMV_GPM_NODE_BW-BUS_AGR_CL = CRMC_BUAG_CLASS-BUAG_CLASS

0..N

CRMC_BUAG_CLASS
<u>CLIENT</u> [CLNT (3)]
<u>BUAG_CLASS</u> [CHAR (10)]

CRMV_GPM_NODE_BW-AUTH_GROUP = CRMC_GPM_AUTGR-AUTH_GROUP

0..N

CRMC_GPM_AUTGR
<u>MANDT</u> [CLNT (3)]
<u>AUTH_GROUP</u> [CHAR (4)]

CRMV_GPM_NODE_BW-PROG_TYPE = CRMC_GPM_PRTYP-PROG_TYPE

1

1

CRMC_GPM_PRTYP
<u>MANDT</u> [CLNT (3)]
<u>OBJ_CLASS</u> [CHAR (3)]
<u>PROG_TYPE</u> [CHAR (4)]

CRMV_GPM_NODE_BW-ACTION_PROFILE = PPFTCONDE-NAME

0..N

1

PPFTCONDE
<u>MANDT</u> [CLNT (3)]
<u>NAME</u> [CHAR (30)]