

SAP ABAP table CRMV_ISPS_GCM_FC {Generierte Tabelle zu einem View}

CRMV_ISPS_GCM_FC-PRIORITY = CRMC_CHGLEVEL-CHANGELEVEL

CRMC_CHGLEVEL	
<u>MANDT</u>	[CLNT (3)]
<u>CHANGELEVEL</u>	[NUMC (3)]

CRMV_ISPS_GCM_FC-ITM_TYPE = CRMC_ITEM_TYPE-ITM_TYPE

CRMC_ITEM_TYPE	
<u>CLIENT</u>	[CLNT (3)]
<u>ITM_TYPE</u>	[CHAR (4)]

CRMV_ISPS_GCM_FC-OBJECTNAME = CRMC_OBJECTS-NAME

CRMC_OBJECTS	
<u>NAME</u>	[CHAR (30)]

CRMV_ISPS_GCM_FC-PROCESS_TYP = CRMC_PROC_TYPE-PROCESS_TYPE

CRMC_PROC_TYPE	
<u>CLIENT</u>	[CLNT (3)]
<u>PROCESS_TYPE</u>	[CHAR (4)]

CRMV_ISPS_GCM_FC-FIELDNAME = DD03L-FIELDNAME

DD03L	
<u>TABNAME</u>	[CHAR (30)]
<u>FIELDNAME</u>	[CHAR (30)]
<u>AS4LOCAL</u>	[CHAR (1)]
<u>AS4VERS</u>	[NUMC (4)]
<u>POSITION</u>	[NUMC (4)]

CRMV_ISPS_GCM_FC-ISTAT1 = TJ02-ISTAT

CRMV_ISPS_GCM_FC-ISTAT2 = TJ02-ISTAT

CRMV_ISPS_GCM_FC-ISTAT3 = TJ02-ISTAT

CRMV_ISPS_GCM_FC-ISTAT4 = TJ02-ISTAT

CRMV_ISPS_GCM_FC-ISTAT5 = TJ02-ISTAT

TJ02	
<u>ISTAT</u>	[CHAR (5)]

CRMV_ISPS_GCM_FC	
<u>MANDT</u>	[CLNT (3)]
<u>PROCESS_TYP</u>	[CHAR (4)]
<u>ITM_TYPE</u>	[CHAR (4)]
<u>OBJECTNAME</u>	[CHAR (30)]
<u>FIELDNAME</u>	[CHAR (30)]
<u>ISTAT1</u>	[CHAR (5)]
<u>ISTAT2</u>	[CHAR (5)]
<u>ISTAT3</u>	[CHAR (5)]
<u>ISTAT4</u>	[CHAR (5)]
<u>ISTAT5</u>	[CHAR (5)]
<u>PRIORITY</u>	[NUMC (3)]