

# SAP ABAP table EHS00S\_VACCH\_BUF {EHS: Buffer Structure for Vaccination}

EHS00S\_VACCH\_BUF-AENNR = AENR-AENNR

<b>AENR</b>	
<u>MANDT</u>	[CLNT (3)]
AENNR	[CHAR (12)]

EHS00S\_VACCH\_BUF-MANDT = T000-MANDT

<b>T000</b>	
<u>MANDT</u>	[CLNT (3)]

EHS00S\_VACCH\_BUF-PERNR = T7EHS00\_MAPPERNR-INTPERNR

<b>T7EHS00_MAPPERNR</b>	
<u>MANDT</u>	[CLNT (3)]
INTPERNR	[NUMC (8)]

EHS00S\_VACCH\_BUF-PNUMBER = T7EHS00\_PROT-PNUMBER

<b>T7EHS00_PROT</b>	
<u>MANDT</u>	[CLNT (3)]
PGROUP	[CHAR (3)]
PNUMBER	[CHAR (3)]
ENDDA	[DATS (8)]

EHS00S\_VACCH\_BUF-SRV\_PROTOTYPE = T7EHS00\_PROTFREQ-PROT\_FRITYP

<b>T7EHS00_PROTFREQ</b>	
<u>MANDT</u>	[CLNT (3)]
PGROUP	[CHAR (3)]
PNUMBER	[CHAR (3)]
ENDDA	[DATS (8)]
PROT_FRITYP	[CHAR (3)]
RECN	[NUMC (20)]

EHS00S\_VACCH\_BUF-SRSID = TCG56-SRSID

<b>TCG56</b>	
<u>MANDT</u>	[CLNT (3)]
SRSID	[CHAR (10)]

EHS00S\_VACCH\_BUF-PGROUP = VT7EHS00\_PGROUPEV-PGROUP

<b>VT7EHS00_PGROUPEV</b>	
<u>MANDT</u>	[CLNT (3)]
PGROUP	[CHAR (3)]
SPRAS	[LANG (1)]

<b>EHS00S_VACCH_BUF</b>	
<u>MANDT</u>	[CLNT (3)]
AENNR	[CHAR (12)]
SRSID	[CHAR (10)]
PERNR	[NUMC (8)]
PGROUP	[CHAR (3)]
PNUMBER	[CHAR (3)]
SRV_PROTOTYPE	[CHAR (3)]

1

0..N

0..N

0..N

0..N

0..N

1

0..N

0..N

0..N

0..N

0..N

0..N

0..N

