

SAP ABAP table EHS_DGTM2_APPEND_03 {Structure-Append Dangerous Goods Append Table EhP3}

EHS_DGTM2_APPEND_03-ABS_ACT_U = T006-MSEHI

EHS_DGTM2_APPEND_03-ACT_SUB_PACK_U = T006-MSEHI

EHS_DGTM2_APPEND_03-CONTAMINATION_U = T006-MSEHI

EHS_DGTM2_APPEND_03-DIST_DOSE_PACK_U = T006-MSEHI

EHS_DGTM2_APPEND_03-DIST_DOSE_UNP_U = T006-MSEHI

EHS_DGTM2_APPEND_03-DOSE_RATE_U = T006-MSEHI

EHS_DGTM2_APPEND_03-MAX_ACT1_U = T006-MSEHI

EHS_DGTM2_APPEND_03-MAX_ACT2_U = T006-MSEHI

EHS_DGTM2_APPEND_03-MAX_ACT_CONSG_U = T006-MSEHI

EHS_DGTM2_APPEND_03-MAX_ACT_PAC_U_DC = T006-MSEHI

EHS_DGTM2_APPEND_03-MAX_ACT_SGL_U_DC = T006-MSEHI

EHS_DGTM2_APPEND_03-MAX_CONT_A_U = T006-MSEHI

EHS_DGTM2_APPEND_03-MAX_CONT_B_G_U = T006-MSEHI

EHS_DGTM2_APPEND_03-MAX_DOSE_PACK_U = T006-MSEHI

EHS_DGTM2_APPEND_03-MAX_DOSE_UNP_U = T006-MSEHI

EHS_DGTM2_APPEND_03-REL_SPEC_ACT_U = T006-MSEHI

EHS_DGTM2_APPEND_03-U_MAX_GRS_WGT_DC = T006-MSEHI

EHS_DGTM2_APPEND_03-TEXTPATT_PROF01 = TDG91-TEXTPATT_PROF

EHS_DGTM2_APPEND_03-TEXTPATT_PROF02 = TDG91-TEXTPATT_PROF

EHS_DGTM2_APPEND_03-TEXTPATT_PROF03 = TDG91-TEXTPATT_PROF

EHS_DGTM2_APPEND_03-TEXTPATT_PROF04 = TDG91-TEXTPATT_PROF

EHS_DGTM2_APPEND_03-TEXTPATT_PROF05 = TDG91-TEXTPATT_PROF

EHS_DGTM2_APPEND_03-TEXTPATT_PROF06 = TDG91-TEXTPATT_PROF

EHS_DGTM2_APPEND_03-TEXTPATT_PROF07 = TDG91-TEXTPATT_PROF

EHS_DGTM2_APPEND_03-TEXTPATT_PROF08 = TDG91-TEXTPATT_PROF

EHS_DGTM2_APPEND_03-TEXTPATT_PROF09 = TDG91-TEXTPATT_PROF

EHS_DGTM2_APPEND_03-TEXTPATT_PROF10 = TDG91-TEXTPATT_PROF

EHS_DGTM2_APPEND_03-TEXTPATT_PROF11 = TDG91-TEXTPATT_PROF

EHS_DGTM2_APPEND_03-TEXTPATT_PROF12 = TDG91-TEXTPATT_PROF

EHS_DGTM2_APPEND_03-TEXTPATT_PROF13 = TDG91-TEXTPATT_PROF

EHS_DGTM2_APPEND_03-TEXTPATT_PROF14 = TDG91-TEXTPATT_PROF

EHS_DGTM2_APPEND_03-TEXTPATT_PROF15 = TDG91-TEXTPATT_PROF

EHS_DGTM2_APPEND_03

TEXTPATT_PROF01	[CHAR (10)]
TEXTPATT_PROF02	[CHAR (10)]
TEXTPATT_PROF03	[CHAR (10)]
TEXTPATT_PROF04	[CHAR (10)]
TEXTPATT_PROF05	[CHAR (10)]
TEXTPATT_PROF06	[CHAR (10)]
TEXTPATT_PROF07	[CHAR (10)]
TEXTPATT_PROF08	[CHAR (10)]
TEXTPATT_PROF09	[CHAR (10)]
TEXTPATT_PROF10	[CHAR (10)]
TEXTPATT_PROF11	[CHAR (10)]
TEXTPATT_PROF12	[CHAR (10)]
TEXTPATT_PROF13	[CHAR (10)]
TEXTPATT_PROF14	[CHAR (10)]
TEXTPATT_PROF15	[CHAR (10)]
ABS_ACT_U	[UNIT (3)]
REL_SPEC_ACT_U	[UNIT (3)]
CONTAMINATION_U	[UNIT (3)]
DOSE_RATE_U	[UNIT (3)]
MAX_ACT1_U	[UNIT (3)]
MAX_ACT2_U	[UNIT (3)]
ACT_SUB_PACK_U	[UNIT (3)]
MAX_ACT_CONSG_U	[UNIT (3)]
MAX_CONT_A_U	[UNIT (3)]
MAX_CONT_B_G_U	[UNIT (3)]
MAX_DOSE_UNP_U	[UNIT (3)]
DIST_DOSE_UNP_U	[UNIT (3)]
MAX_DOSE_PACK_U	[UNIT (3)]
DIST_DOSE_PACK_U	[UNIT (3)]
MAX_ACT_SGL_U_DC	[UNIT (3)]
MAX_ACT_PAC_U_DC	[UNIT (3)]
U_MAX_GRS_WGT_DC	[UNIT (3)]

T006
MANDT [CLNT (3)]
MSEHI [UNIT (3)]

TDG91
MANDT [CLNT (3)]
TEXTPATT_PROF [CHAR (10)]