SAP ABAP table EMMAD_CASEHDR {Clarification Case Screen Fields}


EMMAD_CASEHDR-CANCODE = EMMAC_CANCODE-CANCODE
EMMAD_CASEHDR-CCAT = EMMAC_CCAT_HDR-CCAT
EMMAD_CASEHDR-NEWREACODE = EMMAC_CREACODE-REACODE
EMMAD_CASEHDR-REACODE = EMMAC_CREACODE-REACODE
EMMAD_CASEHDR-CTYPE = EMMAC_CTYPE-CTYPE
EMMAD_CASEHDR-BPAREA = EMMA_BPA-BPAREA
EMMAD_CASEHDR-BPCODE = EMMA_BPC-BPCODE
EMMAD_CASEHDR-LOGSYS = TBDLS-LOGSYS
EMMAD_CASEHDR-BRGRU = TBRG-BRGRU
EMMAD_CASEHDR-MAINOBJTYPE = TOJTB-NAME
EMMAD_CASEHDR-CURRPROC = USR02-BNAME
EMMAD_CASEHDR-PREVPROC = USR02-BNAME
EMMAC_CANCODE
CLIENT [CLNT (3)]
CANCODE [CHAR (4)]
EMMAC_CCAT_HDR
CLIENT [CLNT (3)]
CCAT [CHAR (4)]
EMMAC_CREACODE
CIENT [CLNT (3)]
REACODE [CHAR (4)]
EMMAC_CTYPE
CLIENT [CLNT (3)]
CTYPE [CHAR (4)]
EMMA_BPA
BPAREA [CHAR (4)]
EMMA_BPC
BPCODE [CHAR (8)]
TBDLS
LOGSYS [CHAR (10)]
TBRG
MANDT [CLNT (3)]
BROBJ [CHAR (10)]
BRGRU [CHAR (4)]
TOJTB
NAME [CHAR (10)]
USR02
MANDT [CLNT (3)]
BNAME [CHAR (12)]
EMMAD_CASEHDR
LOGSYS [CHAR (10)]
BPCODE [CHAR (8)]
BPAREA [CHAR (4)]
CTYPE [CHAR (4)]
CCAT [CHAR (4)]
BRGRU [CHAR (4)]
MAINOBJTYPE [CHAR (10)]
CURRPROC [CHAR (12)]
NEWREACODE [CHAR (4)]
PREVPROC [CHAR (12)]
REACODE [CHAR (4)]
CANCODE [CHAR (4)]
0..N
{0,1}
0..N
{0,1}
0..N
{0,1}