

SAP ABAP table FMCACOLLXML_BUS020_EXT {BP: Addresses with Addr. Data (Read)}

FMCACOLLXML_BUS020_EXT-DELI_SERV_TYPE = ADDRCD_DELI_SERV-DELI_SERV_TYPE

FMCACOLXML_BUS020_EXT
CITY_CODE [CHAR (12)]
CITYP_CODE [CHAR (8)]
CITYH_CODE [CHAR (12)]
REGIOGROUP [CHAR (8)]
DONT_USE_P [CHAR (4)]
CITY_CODE2 [CHAR (12)]
PO_BOX_REG [CHAR (3)]
PO_BOX_CTY [CHAR (3)]
TRANSPZONE [CHAR (10)]
DONT_USE_S [CHAR (4)]
STREETCODE [CHAR (12)]
STREETABBR [CHAR (2)]
COUNTRY [CHAR (3)]
LANGU [LANG (1)]
REGION [CHAR (3)]
ADDRORIGIN [CHAR (4)]
TIME_ZONE [CHAR (6)]
LANGU_CREA [LANG (1)]
DELI_SERV_TYPE [CHAR (4)]
COUNTY_CODE [CHAR (8)]
TOWNSHIP_CODE [CHAR (8)]
DEFLT_COMM [CHAR (3)]

ADDRC_DELI_SERV
<u>CLIENT</u> [CLNT (3)]
<u>DELI_SERV_TYPE</u> [CHAR (4)]

ADRCITY
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>CITY_CODE</u> [CHAR (12)]

ADRCITYPRT
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>CITY_CODE</u> [CHAR (12)]
<u>CITYP_CODE</u> [CHAR (8)]

ADRCOUNTY
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>REGION</u> [CHAR (3)]
<u>COUNTY_CODE</u> [CHAR (8)]

ADRREGGRP
<u>CLIENT</u> [CLNT (3)]
<u>REGIOGROUP</u> [CHAR (8)]

ADRSTREET
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>STRT_CODE</u> [CHAR (12)]

ADRSTRTYPE
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>STRTYPEAB</u> [CHAR (2)]

ADRTOWNSHIP
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>REGION</u> [CHAR (3)]
<u>COUNTY_CODE</u> [CHAR (8)]
<u>TOWNSHIP_CODE</u> [CHAR (8)]

T002
SPRAS [LANG (1)]

T005
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]

T005S
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]
<u>BLAND</u> [CHAR (3)]

TSAD12
<u>CLIENT</u> [CLNT (3)]
<u>UNDELIVER</u> [CHAR (4)]

TSAD6
<u>CLIENT</u> [CLNT (3)]
<u>ORIGIN</u> [CHAR (4)]

TSADC
<u>COMINT</u> [CHAR (3)]

TTZZ
<u>CLIENT</u> [CLNT (3)]
<u>TZONE</u> [CHAR (6)]

TZONE
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]
<u>ZONE1</u> [CHAR (10)]

