

SAP ABAP table FPB_LP6_R_RW_C {Parameters for Report Writer}

FPB_LP6_R_RW_C-CLIENT = FPB_LP6_R_TYP_C-CLIENT

FPB_LP6_R_RW_C
<u>CLIENT</u> [CLNT (3)]
<u>OBJECT_ID</u> [CHAR (32)]
<u>REPORT_ID</u> [CHAR (12)]
<u>REPORT_SUB_ID</u> [NUMC (4)]
RGJNR [CHAR (4)]

1

FPB_LP6_R_RW_C-OBJECT_ID = FPB_LP6_R_TYP_C-OBJECT_ID

{0,1}

1

FPB_LP6_R_RW_C-REPORT_ID = FPB_LP6_R_TYP_C-REPORT_ID

{0,1}

1

FPB_LP6_R_RW_C-REPORT_SUB_ID = FPB_LP6_R_TYP_C-REPORT_SUB_ID

{0,1}

1

FPB_LP6_R_RW_C-RGJNR = T803J-RGJNR

1

0..N

FPB_LP6_R_TYP_C
<u>CLIENT</u> [CLNT (3)]
<u>OBJECT_ID</u> [CHAR (32)]
<u>REPORT_ID</u> [CHAR (12)]
<u>REPORT_SUB_ID</u> [NUMC (4)]

T803J
<u>MANDT</u> [CLNT (3)]
<u>RGJNR</u> [CHAR (4)]