

SAP ABAP table FPB_LP6_R_TRA_C {Parameters for Transactions}

FPB_LP6_R_TRA_C-CLIENT = FPB_LP6_R_TYP_C-CLIENT

FPB_LP6_R_TRA_C
<u>CLIENT</u> [CLNT (3)]
<u>OBJECT_ID</u> [CHAR (32)]
<u>REPORT_ID</u> [CHAR (12)]
<u>REPORT_SUB_ID</u> [NUMC (4)]
<u>TRA_TRANSACTION</u> [CHAR (20)]

1

FPB_LP6_R_TRA_C-OBJECT_ID = FPB_LP6_R_TYP_C-OBJECT_ID

{0,1}

1

FPB_LP6_R_TRA_C-REPORT_ID = FPB_LP6_R_TYP_C-REPORT_ID

{0,1}

1

FPB_LP6_R_TRA_C-REPORT_SUB_ID = FPB_LP6_R_TYP_C-REPORT_SUB_ID

{0,1}

1

FPB_LP6_R_TRA_C-TRA_TRANSACTION = TSTC-TCODE

1

0..N

FPB_LP6_R_TYP_C
<u>CLIENT</u> [CLNT (3)]
<u>OBJECT_ID</u> [CHAR (32)]
<u>REPORT_ID</u> [CHAR (12)]
<u>REPORT_SUB_ID</u> [NUMC (4)]

TSTC
<u>TCODE</u> [CHAR (20)]