SAP ABAP table FTI_LDB_TR_POS_DEAL_ATTR {Transaction Attributes Used in the Logical Database}

FTI_LDB_TR_POS_DEAL_ATTR
- *BUKRS* [CHAR (4)]
- *DEAL_NUMBER* [CHAR (13)]
- *GSART* [CHAR (3)]
- *SANLF* [NUMC (3)]
- *PORTFOLIO* [CHAR (10)]
- *RREFKONT_R* [CHAR (8)]
- *SFGTYP* [NUMC (3)]
- *SFHAART* [CHAR (3)]
- *RMAID* [CHAR (10)]
- *RISK_PARTNER* [CHAR (10)]
- *RDEALER* [CHAR (12)]
- *RGARANT* [CHAR (10)]
- *HKONT* [CHAR (10)]
- *SBWHR* [CUKY (5)]

AT01
- *SANLFOR* [NUMC (3)]
- SFGTYP [NUMC (3)]

AT10
- *MANDT* [CLNT (3)]
- *SGSART* [CHAR (3)]
- SFHAART [CHAR (3)]

BUT000
- *CLIENT* [CLNT (3)]
- PARTNER [CHAR (10)]

SKB1
- *MANDT* [CLNT (3)]
- *BUKRS* [CHAR (4)]
- *SAKNR* [CHAR (10)]

T001
- *MANDT* [CLNT (3)]
- BUKRS [CHAR (4)]

T037S
- *MANDT* [CLNT (3)]
- *BUKRS* [CHAR (4)]
- RANTYP [CHAR (1)]
- RREFKONT [CHAR (8)]

TCURC
- MANDT [CLNT (3)]
- WAERS [CUKY (5)]

TWPOB
- *MANDT* [CLNT (3)]
- *BUKRS* [CHAR (4)]
- RPORTB [CHAR (10)]

TZAF
- SANLF [NUMC (3)]

TZDEA
- *MANDT* [CLNT (3)]
- *BUKRS* [CHAR (4)]
- RDEALER [CHAR (12)]

TZPA
- *MANDT* [CLNT (3)]
- GSART [CHAR (3)]

VTBFHA
- *MANDT* [CLNT (3)]
- *BUKRS* [CHAR (4)]
- RFHA [CHAR (13)]

VTBMA
- *MANDT* [CLNT (3)]
- RMAID [CHAR (10)]

FTI_LDB_TR_POS_DEAL_ATTR-SFGTYP = AT01-SFGTYP
FTI_LDB_TR_POS_DEAL_ATTR-SFHAART = AT10-SFHAART
FTI_LDB_TR_POS_DEAL_ATTR-RGARANT = BUT000-PARTNER
FTI_LDB_TR_POS_DEAL_ATTR-RISK_PARTNER = BUT000-PARTNER
FTI_LDB_TR_POS_DEAL_ATTR-HKONT = SKB1-SAKNR
FTI_LDB_TR_POS_DEAL_ATTR-BUKRS = T001-BUKRS
FTI_LDB_TR_POS_DEAL_ATTR-RREFKONT_R = T037S-RREFKONT
FTI_LDB_TR_POS_DEAL_ATTR-SBWHR = TCURC-WAERS
FTI_LDB_TR_POS_DEAL_ATTR-PORTFOLIO = TWPOB-RPORTB
FTI_LDB_TR_POS_DEAL_ATTR-SANLF = TZAF-SANLF
FTI_LDB_TR_POS_DEAL_ATTR-RDEALER = TZDEA-RDEALER
FTI_LDB_TR_POS_DEAL_ATTR-GSART = TZPA-GSART
FTI_LDB_TR_POS_DEAL_ATTR-DEAL_NUMBER = VTBFHA-RFHA
FTI_LDB_TR_POS_DEAL_ATTR-RMAID = VTBMA-RMAID

0..N