

# SAP ABAP table HRV5502A {Generated Table for View}

| HRV5502A                       |
|--------------------------------|
| <u>MANDT</u> [CLNT (3)]        |
| <u>PLVAR</u> [CHAR (2)]        |
| <u>OTYPE</u> [CHAR (2)]        |
| <u>OBJID</u> [NUMC (8)]        |
| SUBTY [CHAR (4)]               |
| <u>ISTAT</u> [CHAR (1)]        |
| BEGDA [DATS (8)]               |
| ENDDA [DATS (8)]               |
| <u>BACKEND</u> [CHAR (10)]     |
| <u>STORAGE_LOC</u> [CHAR (4)]  |
| <u>PLANT</u> [CHAR (4)]        |
| <u>CO_CODE</u> [CHAR (4)]      |
| <u>LOC_PARTNER</u> [CHAR (10)] |
| <u>EXCLUDED</u> [CHAR (1)]     |
| <u>DEFAULTVAL</u> [CHAR (1)]   |
| <u>INHERITED</u> [CHAR (1)]    |

HRV5502A-BACKEND = BBP\_BACKEND\_DEST-LOG\_SYS 0..N

| BBP_BACKEND_DEST           |
|----------------------------|
| <u>CLIENT</u> [CLNT (3)]   |
| <u>LOG_SYS</u> [CHAR (10)] |

HRV5502A-OBJID = PLOGI-OBJID 0..N

| PLOGI                   |
|-------------------------|
| <u>MANDT</u> [CLNT (3)] |
| <u>PLVAR</u> [CHAR (2)] |
| <u>OTYPE</u> [CHAR (2)] |
| <u>OBJID</u> [NUMC (8)] |

HRV5502A-MANDT = T000-MANDT 0..N

| T000                    |
|-------------------------|
| <u>MANDT</u> [CLNT (3)] |

HRV5502A-OTYPE = T778O-OTYPE

| T778O                   |
|-------------------------|
| <u>MANDT</u> [CLNT (3)] |
| <u>OTYPE</u> [CHAR (2)] |

HRV5502A-PLVAR = T778P-PLVAR 0..N

| T778P                   |
|-------------------------|
| <u>MANDT</u> [CLNT (3)] |
| <u>PLVAR</u> [CHAR (2)] |

HRV5502A-ISTAT = T778S-ISTAT 0..N

| T778S                   |
|-------------------------|
| <u>MANDT</u> [CLNT (3)] |
| <u>ISTAT</u> [CHAR (1)] |