

SAP ABAP table HRVPAD40 {Generated Table for View}

HRVPAD40
<u>MANDT</u> [CLNT (3)]
<u>PLVAR</u> [CHAR (2)]
<u>OTYPE</u> [CHAR (2)]
<u>OBJID</u> [NUMC (8)]
<u>RSIGN</u> [CHAR (1)]
<u>RELAT</u> [CHAR (3)]
<u>ISTAT</u> [CHAR (1)]
<u>PRIOX</u> [CHAR (2)]
<u>BEGDA</u> [DATS (8)]
<u>ENDDA</u> [DATS (8)]
<u>VARYF</u> [CHAR (10)]
<u>SEQNR</u> [NUMC (3)]
<u>SUBTY</u> [CHAR (4)]
<u>SCLAS</u> [CHAR (2)]
<u>INFTY</u> [CHAR (4)]

PLOGI
<u>MANDT</u> [CLNT (3)]
<u>PLVAR</u> [CHAR (2)]
<u>OTYPE</u> [CHAR (2)]
<u>OBJID</u> [NUMC (8)]

T000
<u>MANDT</u> [CLNT (3)]

T778O
<u>MANDT</u> [CLNT (3)]
<u>OTYPE</u> [CHAR (2)]

T778P
<u>MANDT</u> [CLNT (3)]
<u>PLVAR</u> [CHAR (2)]

T778S
<u>MANDT</u> [CLNT (3)]
<u>ISTAT</u> [CHAR (1)]

T778T
<u>MANDT</u> [CLNT (3)]
<u>INFTY</u> [CHAR (4)]

T778U
<u>MANDT</u> [CLNT (3)]
<u>INFTY</u> [CHAR (4)]
<u>SUBTY</u> [CHAR (4)]

T778V
<u>MANDT</u> [CLNT (3)]
<u>RELAT</u> [CHAR (3)]

HRVPAD40-OBJID = PLOGI-OBJID 0..N

HRVPAD40-MANDT = T000-MANDT 0..N

HRVPAD40-OTYPE = T778O-OTYPE 0..N

HRVPAD40-SCLAS = T778O-OTYPE 0..N

HRVPAD40-PLVAR = T778P-PLVAR 0..N

HRVPAD40-ISTAT = T778S-ISTAT 0..N

HRVPAD40-INFTY = T778T-INFTY 0..N

HRVPAD40-SUBTY = T778U-SUBTY 0..N

HRVPAD40-RELAT = T778V-RELAT 0..N

1

1

1

1

1

1

1

1

1

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N

0..N