

SAP ABAP table HRWPC_S_WORKSCHEDULE {Work Schedule (Infotype 1011 Fields with Texts)}

HRWPC_S_WORKSCHEDULE
<i>MANDT</i> [CLNT (3)]
<i>PLVAR</i> [CHAR (2)]
<i>OTYPE</i> [CHAR (2)]
<i>INFTY</i> [CHAR (4)]
<i>SUBTY</i> [CHAR (4)]
<i>ISTAT</i> [CHAR (1)]

0..N

HRWPC_S_WORKSCHEDULE-MANDT = T000-MANDT

0..N

T000
<i>MANDT</i> [CLNT (3)]

HRWPC_S_WORKSCHEDULE-OTYPE = T778O-OTYPE

0..N

T778O
<i>MANDT</i> [CLNT (3)]
<i>OTYPE</i> [CHAR (2)]

0..N

HRWPC_S_WORKSCHEDULE-PLVAR = T778P-PLVAR

0..N

T778P
<i>MANDT</i> [CLNT (3)]
<i>PLVAR</i> [CHAR (2)]

0..N

HRWPC_S_WORKSCHEDULE-ISTAT = T778S-ISTAT

0..N

T778S
<i>MANDT</i> [CLNT (3)]
<i>ISTAT</i> [CHAR (1)]

0..N

HRWPC_S_WORKSCHEDULE-INFTY = T778T-INFTY

0..N

T778T
<i>MANDT</i> [CLNT (3)]
<i>INFTY</i> [CHAR (4)]

0..N

HRWPC_S_WORKSCHEDULE-SUBTY = T778U-SUBTY

0..N

T778U
<i>MANDT</i> [CLNT (3)]
<i>INFTY</i> [CHAR (4)]
<i>SUBTY</i> [CHAR (4)]

0..N