

SAP ABAP table INFO_MCOFT {Generated Table for View}

INFO_MCOFT
<u>VIEWNAME</u> [CHAR (30)]
<u>AS4LOCAL</u> [CHAR (1)]
<u>AS4VERS</u> [NUMC (4)]
<u>AS4LOCAL1</u> [CHAR (1)]
<u>OBJPOS</u> [NUMC (4)]
<u>AS4VERS1</u> [NUMC (4)]
<u>AS4LOCAL2</u> [CHAR (1)]
<u>AS4VERS2</u> [NUMC (4)]
<u>AS4LOCAL3</u> [CHAR (1)]
<u>AS4VERS3</u> [NUMC (4)]
<u>DDLLANGUAGE</u> [LANG (1)]
<u>AS4LOCAL4</u> [CHAR (1)]
<u>AS4VERS4</u> [NUMC (4)]
<u>AGGTYPE</u> [CHAR (1)]
<u>VIEWFIELD</u> [CHAR (30)]
<u>TABNAME</u> [CHAR (30)]
<u>FIELDNAME</u> [CHAR (30)]
<u>KEYFLAG</u> [CHAR (1)]
<u>ROLLNAME</u> [CHAR (30)]
<u>DOMNAME</u> [CHAR (30)]
<u>ROUTPUTLEN</u> [NUMC (6)]
<u>MEMORYID</u> [CHAR (20)]
<u>LOGFLAG</u> [CHAR (1)]
<u>HEADLEN</u> [NUMC (2)]
<u>SCRLEN1</u> [NUMC (2)]
<u>SCRLEN2</u> [NUMC (2)]
<u>SCRLEN3</u> [NUMC (2)]
<u>ACTFLAG</u> [CHAR (1)]
<u>LENG</u> [NUMC (6)]
<u>DATATYPE</u> [CHAR (4)]
<u>DECIMALS</u> [NUMC (6)]
<u>LOWERCASE</u> [CHAR (1)]
<u>SIGNFLAG</u> [CHAR (1)]
<u>LANGFLAG</u> [CHAR (1)]
<u>VALEXI</u> [CHAR (1)]
<u>ENTITYTAB</u> [CHAR (30)]
<u>CONVEXIT</u> [CHAR (5)]
<u>MASK</u> [CHAR (20)]
<u>MASKLEN</u> [NUMC (4)]
<u>DDTEXT</u> [CHAR (60)]
<u>AS4USER</u> [CHAR (12)]
<u>AS4DATE</u> [DATS (8)]
<u>AS4TIME</u> [TIMS (6)]
<u>ROOTTAB</u> [CHAR (30)]
<u>VIEWCLASS</u> [CHAR (1)]
<u>AUTHCLASS</u> [NUMC (2)]
<u>MASTERLANG</u> [LANG (1)]
<u>DEVCLASS</u> [CHAR (30)]

DD01L
<u>DOMNAME</u> [CHAR (30)]
<u>AS4LOCAL</u> [CHAR (1)]
<u>AS4VERS</u> [NUMC (4)]

DD02L
<u>TABNAME</u> [CHAR (30)]
<u>AS4LOCAL</u> [CHAR (1)]
<u>AS4VERS</u> [NUMC (4)]

DD04L
<u>ROLLNAME</u> [CHAR (30)]
<u>AS4LOCAL</u> [CHAR (1)]
<u>AS4VERS</u> [NUMC (4)]

T002
<u>SPRAS</u> [LANG (1)]

TDEV C
<u>DEVCLASS</u> [CHAR (30)]

TPARA
<u>PARAMID</u> [CHAR (20)]

