

SAP ABAP table MKTCRM_MKTPL_ATTR {Change document structure; generated by RSSCD000}

MKTCRM_MKTPL_ATTR-PROJECT_GUID = CGPL_PROJECT-GUID

CGPL_PROJECT	
<u>CLIENT</u>	[CLNT (3)]
<u>GUID</u>	[RAW (16)]

CRMC_MKTCA_WFT	
<u>CLIENT</u>	[CLNT (3)]
<u>MKTCA_WFTASK</u>	[CHAR (4)]

CRMC_MKTPL_AUTHG	
<u>MANDT</u>	[CLNT (3)]
<u>AUTH_GROUP</u>	[CHAR (4)]

CRMC_MKTPL_CHAN	
<u>MANDT</u>	[CLNT (3)]
<u>CHANNEL</u>	[CHAR (4)]

CRMC_MKTPL_CTYPE	
<u>MANDT</u>	[CLNT (3)]
<u>CAMP_TYPE</u>	[CHAR (4)]

CRMC_MKTPL_OBJTV	
<u>MANDT</u>	[CLNT (3)]
<u>OBJECTIVE</u>	[CHAR (4)]

CRMC_MKTPL_TACTS	
<u>MANDT</u>	[CLNT (3)]
<u>TACTICS</u>	[CHAR (4)]

CRM_SVY_DB_S	
<u>CLIENT</u>	[CLNT (3)]
<u>SURVEYID</u>	[CHAR (32)]
<u>SURVEYVERSION</u>	[NUMC (10)]

TCURC	
<u>MANDT</u>	[CLNT (3)]
<u>WAERS</u>	[CUKY (5)]

MKTCRM_MKTPL_ATTR	
<i>PROJECT_GUID</i>	[RAW (16)]
<i>CAMP_TYPE</i>	[CHAR (4)]
<i>CHANNEL</i>	[CHAR (4)]
<i>SMARTFORM</i>	[CHAR (30)]
<i>ADRESS_ID</i>	[CHAR (12)]
<i>TACTICS</i>	[CHAR (4)]
<i>OBJECTIVE</i>	[CHAR (4)]
<i>AUTH_GROUP</i>	[CHAR (4)]
<i>CURRENCY</i>	[CUKY (5)]
<i>SURVEYID</i>	[CHAR (32)]
<i>MKTCA_WFTASK</i>	[CHAR (4)]

0..N

1

0..N

0..N

0..N

0..N

0..N

0..N

1

0..N

0..N

0..N

0..N

0..N

0..N

0..N

1..N

0..N

MKTCRM_MKTPL_ATTR-MKTCA_WFTASK = CRMC_MKTCA_WFT-MKTCA_WFTASK

MKTCRM_MKTPL_ATTR-AUTH_GROUP = CRMC_MKTPL_AUTHG-AUTH_GROUP

MKTCRM_MKTPL_ATTR-CHANNEL = CRMC_MKTPL_CHAN-CHANNEL

MKTCRM_MKTPL_ATTR-CAMP_TYPE = CRMC_MKTPL_CTYPE-CAMP_TYPE

MKTCRM_MKTPL_ATTR-OBJECTIVE = CRMC_MKTPL_OBJTV-OBJECTIVE

MKTCRM_MKTPL_ATTR-TACTICS = CRMC_MKTPL_TACTS-TACTICS

MKTCRM_MKTPL_ATTR-SURVEYID = CRM_SVY_DB_S-SURVEYID

MKTCRM_MKTPL_ATTR-CURRENCY = TCURC-WAERS