

SAP ABAP table MMPUR_SPPR_ADDRESS_STY {SPPR Address Data}

MMPUR_SPPR_ADDRESS_STY-DELI_SERV_TYPE = ADDRC DELI_SERV-DELI_SERV_TYPE

ADDRC_DELI_SERV
<u>CLIENT</u> [CLNT (3)]
<u>DELI_SERV_TYPE</u> [CHAR (4)]

ADRCITY
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>CITY_CODE</u> [CHAR (12)]

ADRCITYPRT
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>CITY_CODE</u> [CHAR (12)]
<u>CITY_CODE</u> [CHAR (8)]

ADRREGGRP
<u>CLIENT</u> [CLNT (3)]
<u>REGIOGROUP</u> [CHAR (8)]

ADRSTREET
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>STRT_CODE</u> [CHAR (12)]

ADRSTRTYPE
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>STRTYPEAB</u> [CHAR (2)]

T000
<u>MANDT</u> [CLNT (3)]

T002
<u>SPRAS</u> [LANG (1)]

T005
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]

T005S
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]
<u>BLAND</u> [CHAR (3)]

TSAC
<u>COMM_TYPE</u> [CHAR (3)]

TSAD12
<u>CLIENT</u> [CLNT (3)]
<u>UNDELIVER</u> [CHAR (4)]

TSAD3
<u>CLIENT</u> [CLNT (3)]
<u>TITLE</u> [CHAR (4)]

TSAD6
<u>CLIENT</u> [CLNT (3)]
<u>ORIGIN</u> [CHAR (4)]

TSAD7
<u>ADDR_GROUP</u> [CHAR (4)]

TSADV
<u>NATION</u> [CHAR (1)]

TTZZ
<u>CLIENT</u> [CLNT (3)]
<u>TZONE</u> [CHAR (6)]

TZONE
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]
<u>ZONE1</u> [CHAR (10)]

MMPUR_SPPR_ADDRESS_STY
CLIENT [CLNT (3)]
NATION [CHAR (1)]
TITLE [CHAR (4)]
CITY_CODE [CHAR (12)]
CITYP_CODE [CHAR (8)]
CITYH_CODE [CHAR (12)]
REGIOGROUP [CHAR (8)]
DONT_USE_P [CHAR (4)]
CITY_CODE2 [CHAR (12)]
PO_BOX_REG [CHAR (3)]
PO_BOX_CTY [CHAR (3)]
TRANSPZONE [CHAR (10)]
DONT_USE_S [CHAR (4)]
STREETCODE [CHAR (12)]
STREETABBR [CHAR (2)]
COUNTRY [CHAR (3)]
LANGU [LANG (1)]
REGION [CHAR (3)]
ADDR_GROUP [CHAR (4)]
DEFLT_COMM [CHAR (3)]
ADDRORIGIN [CHAR (4)]
TIME_ZONE [CHAR (6)]
DELI_SERV_TYPE [CHAR (4)]

