

SAP ABAP table MSR\_S\_INSP\_REPLACEMENT\_MAT {Inspection Replacement Material}

MSR_S_INSP_REPLACEMENT_MAT
REPLACE_MATNR [CHAR (18)]
REPLACE_UNIT [UNIT (3)]
REPLACED_UNIT [UNIT (3)]
CMR_UNIT [UNIT (3)]
ABGRU [CHAR (2)]
NFU_CODE [CHAR (4)]
PAYING_PLANT [CHAR (4)]

MSR\_S\_INSP\_REPLACEMENT\_MAT-REPLACE\_MATNR = MARA-MATNR

MARA
<u>MANDT</u> [CLNT (3)]
<u>MATNR</u> [CHAR (18)]

MSR\_S\_INSP\_REPLACEMENT\_MAT-NFU\_CODE = MSR\_I\_CODE-FU\_CODE

MSR_I_CODE
<u>FU_CODE</u> [CHAR (4)]

MSR\_S\_INSP\_REPLACEMENT\_MAT-CMR\_UNIT = T006-MSEHI

T006
<u>MANDT</u> [CLNT (3)]
<u>MSEHI</u> [UNIT (3)]

MSR\_S\_INSP\_REPLACEMENT\_MAT-REPLACED\_UNIT = T006-MSEHI

MSR\_S\_INSP\_REPLACEMENT\_MAT-REPLACE\_UNIT = T006-MSEHI

MSR\_S\_INSP\_REPLACEMENT\_MAT-ABGRU = TVAG-ABGRU

TVAG
<u>MANDT</u> [CLNT (3)]
<u>ABGRU</u> [CHAR (2)]