

SAP ABAP table OIRC_MRREJ {SSR Meters - Meter readings rejected records}

OIRC_MRREJ
<u>MANDT</u> [CLNT (3)]
<u>PBLNR</u> [CHAR (10)]
<u>RNBT</u> [CHAR (4)]
<u>REC_SEQNR</u> [NUMC (5)]
<u>GMMNR</u> [CHAR (20)]
<u>METEV</u> [CHAR (2)]
<u>MATNR</u> [CHAR (18)]
<u>METREV</u> [CHAR (2)]
<u>EQUNR</u> [CHAR (18)]
<u>KONWA</u> [CUKY (5)]
<u>KMEIN</u> [UNIT (3)]
<u>STCODE</u> [CHAR (2)]

EQUI
<u>MANDT</u> [CLNT (3)]
<u>EQUNR</u> [CHAR (18)]

MARA
<u>MANDT</u> [CLNT (3)]
<u>MATNR</u> [CHAR (18)]

OIFSPBL
<u>MANDT</u> [CLNT (3)]
<u>PBLNR</u> [CHAR (10)]

OIIGMMET
<u>METEV</u> [CHAR (2)]

OIIGMMK
<u>MANDT</u> [CLNT (3)]
<u>GMMNR</u> [CHAR (20)]

OIRBPBLB
<u>MANDT</u> [CLNT (3)]
<u>PBLNR</u> [CHAR (10)]
<u>RNBT</u> [CHAR (4)]

OIRC_GMME
<u>MANDT</u> [CLNT (3)]
<u>METREV</u> [CHAR (2)]

T006
<u>MANDT</u> [CLNT (3)]
<u>MSEHI</u> [UNIT (3)]

TCURC
<u>MANDT</u> [CLNT (3)]
<u>WAERS</u> [CUKY (5)]

