

SAP ABAP table OPS_RQGAAM31_QALTPP_S {Inspection Point for partial lot}

OPS_RQGAAM31_QALTPP_S-EQUNR = EQUI-EQUNR

EQUI
<u>MANDT</u> [CLNT (3)]
<u>EQUNR</u> [CHAR (18)]

IFLOT
<u>MANDT</u> [CLNT (3)]
<u>TPLNR</u> [CHAR (30)]

QALS
<u>MANDANT</u> [CLNT (3)]
<u>PRUEFLOS</u> [NUMC (12)]

QALT
<u>MANDANT</u> [CLNT (3)]
<u>PRUEFLOS</u> [NUMC (12)]
<u>TEILLOS</u> [NUMC (6)]

QASV
<u>MANDANT</u> [CLNT (3)]
<u>PRUEFLOS</u> [NUMC (12)]
<u>VORGLFNR</u> [NUMC (8)]
<u>MERKNR</u> [NUMC (4)]
<u>PROBENR</u> [NUMC (6)]

QPAM
<u>MANDT</u> [CLNT (3)]
<u>WERKS</u> [CHAR (4)]
<u>KATALOGART</u> [CHAR (1)]
<u>AUSWAHLMGE</u> [CHAR (8)]

QPCD
<u>MANDT</u> [CLNT (3)]
<u>KATALOGART</u> [CHAR (2)]
<u>CODEGRUPPE</u> [CHAR (8)]
<u>CODE</u> [CHAR (4)]

QPGR
<u>MANDT</u> [CLNT (3)]
<u>KATALOGART</u> [CHAR (2)]
<u>CODEGRUPPE</u> [CHAR (8)]

QPRS
<u>MANDT</u> [CLNT (3)]
<u>PHYNR</u> [CHAR (12)]


T000
<u>MANDT</u> [CLNT (3)]

T001W
<u>MANDT</u> [CLNT (3)]
<u>WERKS</u> [CHAR (4)]

T006
<u>MANDT</u> [CLNT (3)]
<u>MSEHI</u> [UNIT (3)]

TQ15
<u>MANDT</u> [CLNT (3)]
<u>KATALOGART</u> [CHAR (2)]

OPS_RQGAAM31_QALTPP_S
MANDT [CLNT (3)]
PRUEFLOS [NUMC (12)]
PROBENR [NUMC (6)]
TEILLOS [NUMC (6)]
MENGENEINH [UNIT (3)]
EQUNR [CHAR (18)]
TPLNR [CHAR (30)]
PHYNR [CHAR (12)]
VKATART [CHAR (1)]
VWERKS [CHAR (4)]
VAUSWAHLMG [CHAR (8)]
VCODEGRP [CHAR (8)]
VCODE [CHAR (4)]



OPS_RQGAAM31_QALTPP_S-TPLNR = IFLOT-TPLNR

OPS_RQGAAM31_QALTPP_S-PRUEFLOS = QALS-PRUEFLOS

OPS_RQGAAM31_QALTPP_S-TEILLOS = QALT-TEILLOS

OPS_RQGAAM31_QALTPP_S-PROBENR = QASV-PROBENR

OPS_RQGAAM31_QALTPP_S-VAUSWAHLMG = QPAM-AUSWAHLMGE

OPS_RQGAAM31_QALTPP_S-VCODE = QPCD-CODE

OPS_RQGAAM31_QALTPP_S-VCODEGRP = QPGR-CODEGRUPPE

OPS_RQGAAM31_QALTPP_S-PHYNR = QPRS-PHYNR

OPS_RQGAAM31_QALTPP_S-MANDT = T000-MANDT

OPS_RQGAAM31_QALTPP_S-VWERKS = T001W-WERKS

OPS_RQGAAM31_QALTPP_S-MENGENEINH = T006-MSEHI

OPS_RQGAAM31_QALTPP_S-VKATART = TQ15-KATALOGART