

SAP ABAP table PIQRFC_SCHEDDESCR {Business Event Schedule Description}

PIQRFC_SCHEDDESCR
MANDT [CLNT (3)]
PLVAR [CHAR (2)]
OTYPE [CHAR (2)]
OBJID [NUMC (8)]
ISTAT [CHAR (1)]

PLOGI
<u>MANDT</u> [CLNT (3)]
<u>PLVAR</u> [CHAR (2)]
<u>OTYPE</u> [CHAR (2)]
<u>OBJID</u> [NUMC (8)]

T000
<u>MANDT</u> [CLNT (3)]

T778O
<u>MANDT</u> [CLNT (3)]
<u>OTYPE</u> [CHAR (2)]

T778P
<u>MANDT</u> [CLNT (3)]
<u>PLVAR</u> [CHAR (2)]

T778S
<u>MANDT</u> [CLNT (3)]
<u>ISTAT</u> [CHAR (1)]

PIQRFC_SCHEDDESCR-OBJID = PLOGI-OBJID

PIQRFC_SCHEDDESCR-MANDT = T000-MANDT

PIQRFC_SCHEDDESCR-OTYPE = T778O-OTYPE

PIQRFC_SCHEDDESCR-PLVAR = T778P-PLVAR

PIQRFC_SCHEDDESCR-ISTAT = T778S-ISTAT