

SAP ABAP table RBB_S_USER_PROFILE {Return structure for the address of a person in a company}

RBB_S_USER_PROFILE
PERS_NO [CHAR (10)]
ADDR_NO [CHAR (10)]
TITLE_P [CHAR (30)]
NAMEFORMAT [CHAR (2)]
NAMCOUNTRY [CHAR (3)]
LANGU_P [LANG (1)]
COMM_TYPE [CHAR (3)]
TITLE [CHAR (30)]
CITY_NO [CHAR (12)]
DISTRCT_NO [CHAR (8)]
PBOXCIT_NO [CHAR (12)]
TRANSPZONE [CHAR (10)]
STREET_NO [CHAR (12)]
STR_ABBR [CHAR (2)]
COUNTRY [CHAR (3)]
LANGU [LANG (1)]
REGION [CHAR (3)]
TIME_ZONE [CHAR (6)]
REGIOGROUP [CHAR (8)]
PO_BOX_REG [CHAR (3)]
DONT_USE_S [CHAR (4)]
DONT_USE_P [CHAR (4)]
LANGU_CR_P [LANG (1)]
DELI_SERV_TYPE [CHAR (4)]

ADRC
<u>CLIENT</u> [CLNT (3)]
ADDRNUMBER [CHAR (10)]
DATE_FROM [DATS (8)]
<u>NATION</u> [CHAR (1)]

ADRCITY
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>CITY_CODE</u> [CHAR (12)]

ADRCITYPRT
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>CITY_CODE</u> [CHAR (12)]
<u>CITYP_CODE</u> [CHAR (8)]

ADRP
<u>CLIENT</u> [CLNT (3)]
PERSNUMBER [CHAR (10)]
DATE_FROM [DATS (8)]
<u>NATION</u> [CHAR (1)]

ADRSTREET
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>STRT_CODE</u> [CHAR (12)]

ADRSTRTYPE
<u>CLIENT</u> [CLNT (3)]
<u>COUNTRY</u> [CHAR (3)]
<u>STRTYPEAB</u> [CHAR (2)]

T002
<u>SPRAS</u> [LANG (1)]

T005
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]

T005N
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]
<u>NAMEFORMAT</u> [CHAR (2)]

T005S
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]
<u>BLAND</u> [CHAR (3)]

TSAC
<u>COMM_TYPE</u> [CHAR (3)]

TTZZ
<u>CLIENT</u> [CLNT (3)]
<u>TZONE</u> [CHAR (6)]

TZONE
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]
<u>ZONE1</u> [CHAR (10)]

