

SAP ABAP table RCF_S_MDL_REG_REGISTER_USER {User Registration}

RCF_S_MDL_REG_REGISTER_USER-CORRESPONDLANGUAGE = T002-SPRAS

0..N

T002
<u>SPRAS</u> [LANG (1)]

RCF_S_MDL_REG_REGISTER_USER-NAMCOUNTRY = T005-LAND1

0..N

T005
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]

RCF_S_MDL_REG_REGISTER_USER-NAMEFORMAT = T005N-NAMEFORMAT

0..N

T005N
<u>MANDT</u> [CLNT (3)]
<u>LAND1</u> [CHAR (3)]
<u>NAMEFORMAT</u> [CHAR (2)]

RCF_S_MDL_REG_REGISTER_USER-MARITALSTATUS = TB027-MARST

0..N

TB027
<u>CLIENT</u> [CLNT (3)]
<u>MARST</u> [CHAR (1)]

RCF_S_MDL_REG_REGISTER_USER-TITLE_ACA1 = TSAD2-TITLE_KEY

1

0..N

TSAD2
<u>CLIENT</u> [CLNT (3)]
<u>TITLE_KEY</u> [CHAR (4)]

RCF_S_MDL_REG_REGISTER_USER-TITLE_ACA2 = TSAD2-TITLE_KEY

0..N

0..N

RCF_S_MDL_REG_REGISTER_USER-PREFIX1 = TSAD4-PREFIX_KEY

0..N

0..N

RCF_S_MDL_REG_REGISTER_USER-PREFIX2 = TSAD4-PREFIX_KEY

0..N

TSAD4
<u>CLIENT</u> [CLNT (3)]
<u>PREFIX_KEY</u> [CHAR (4)]

RCF_S_MDL_REG_REGISTER_USER-TITLE_SPPL = TSAD5-TITLE_KEY

0..N

TSAD5
<u>CLIENT</u> [CLNT (3)]
<u>TITLE_KEY</u> [CHAR (4)]

RCF_S_MDL_REG_REGISTER_USER
<i>TITLE_ACA1</i> [CHAR (4)]
<i>TITLE_ACA2</i> [CHAR (4)]
<i>TITLE_SPPL</i> [CHAR (4)]
<i>PREFIX1</i> [CHAR (4)]
<i>PREFIX2</i> [CHAR (4)]
<i>NAMEFORMAT</i> [CHAR (2)]
<i>NAMCOUNTRY</i> [CHAR (3)]
<i>MARITALSTATUS</i> [CHAR (1)]
<i>CORRESPONDLANGUAGE</i> [LANG (1)]