

SAP ABAP table RCF_S_REQUISITION_INFO_TEXT {Requisition Information with Text}

RCF_S_REQUISITION_INFO_TEXT-MANDT = T000-MANDT

0..N

T000
<u>MANDT</u> [CLNT (3)]

RCF_S_REQUISITION_INFO_TEXT-OTYPE = T778O-OTYPE

0..N

T778O
<u>MANDT</u> [CLNT (3)]
<u>OTYPE</u> [CHAR (2)]

RCF_S_REQUISITION_INFO_TEXT-PLVAR = T778P-PLVAR

0..N

T778P
<u>MANDT</u> [CLNT (3)]
<u>PLVAR</u> [CHAR (2)]

RCF_S_REQUISITION_INFO_TEXT-ISTAT = T778S-ISTAT

0..N

T778S
<u>MANDT</u> [CLNT (3)]
<u>ISTAT</u> [CHAR (1)]

RCF_S_REQUISITION_INFO_TEXT-INFTY = T778T-INFTY

0..N

T778T
<u>MANDT</u> [CLNT (3)]
<u>INFTY</u> [CHAR (4)]

RCF_S_REQUISITION_INFO_TEXT-REASON_CODE = T77RCF_RSN_CODE-REASON_CODE

0..N

T77RCF_RSN_CODE
<u>MANDT</u> [CLNT (3)]
<u>REASON_CODE</u> [NUMC (2)]

RCF_S_REQUISITION_INFO_TEXT-TGROUP = T77RCF_TGROUP-TGROUP

0..N

T77RCF_TGROUP
<u>MANDT</u> [CLNT (3)]
<u>TGROUP</u> [NUMC (4)]

RCF_S_REQUISITION_INFO_TEXT
<i>MANDT</i> [CLNT (3)]
<i>PLVAR</i> [CHAR (2)]
<i>OTYPE</i> [CHAR (2)]
<i>INFTY</i> [CHAR (4)]
<i>ISTAT</i> [CHAR (1)]
<i>TGROUP</i> [NUMC (4)]
<i>REASON_CODE</i> [NUMC (2)]

0..N

0..N

0..N

0..N

0..N

1