

SAP ABAP table REOR\_OBJECT\_STATUS\_L {Search Status: BDT Fields}

REOR\_OBJECT\_STATUS\_L-CDGROUP01 = TIVCDCONDGROUP-CONDGROUP

REOR_OBJECT_STATUS_L
<i>OBJSTATUS</i> [CHAR (4)]
<i>REASON</i> [CHAR (2)]
<i>CDGROUP01</i> [CHAR (4)]
<i>CDGROUP02</i> [CHAR (4)]
<i>CDGROUP03</i> [CHAR (4)]
<i>CDGROUP04</i> [CHAR (4)]

0..N REOR\_OBJECT\_STATUS\_L-CDGROUP02 = TIVCDCONDGROUP-CONDGROUP 0..N

0..N REOR\_OBJECT\_STATUS\_L-CDGROUP03 = TIVCDCONDGROUP-CONDGROUP 0..N

0..N REOR\_OBJECT\_STATUS\_L-CDGROUP04 = TIVCDCONDGROUP-CONDGROUP

0..N

1 REOR\_OBJECT\_STATUS\_L-REASON = TIVOROBJSTATRS-REASON

1

REOR\_OBJECT\_STATUS\_L-OBJSTATUS = TIVOROBJSTATUS-OBJSTATUS

0..N

0..N

TIVCDCONDGROUP
<u>MANDT</u> [CLNT (3)]
<u>CONDGROUP</u> [CHAR (4)]

TIVOROBJSTATRS
<u>MANDT</u> [CLNT (3)]
<u>OBJSTATUS</u> [CHAR (4)]
<u>REASON</u> [CHAR (2)]

TIVOROBJSTATUS
<u>OBJSTATUS</u> [CHAR (4)]